



Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-1

File ga_omega.vbp

```
Type=Exe
Form=frm_main.frm
Reference=*\G{00020430-0000-0000-C000-
000000000046}#2.0#0#..\WINDOWS\SYSTEM\StdOle2.tlb#OLE Automation
Module=nmga; nm_gal.bas
Class=token_group; token_group.cls
Form=frm_tokens.frm
Form=frm_new_group.frm
Form=frm_edit_token.frm
Form=frm_options.frm
Object={B02F3647-766B-11CE-AF28-C3A2FBE76A13}#2.5#0; SS32X25.OCX
Object={02B5E320-7292-11CF-93D5-0020AF99504A}#1.0#0; MSCHART.OCX
Object={BDC217C8-ED16-11CD-956C-0000C04E4C0A}#1.1#0; TABCTL32.OCX
Object={6B7E6392-850A-101B-AFC0-4210102A8DA7}#1.2#0; COMCTL32.OCX
Form=frm_text.frm
Reference=*\G{0D452EE1-E08F-101A-852E-
02608C4D0BB4}#2.0#0#..\WINDOWS\SYSTEM\FM20.DLL#Microsoft Forms 2.0
Object Library
Form=frm_graphics.frm
Object={827E9F53-96A4-11CF-823E-000021570103}#1.0#0; GRAPHS32.OCX
Form=frm_histo.frm
Form=frm_sort_results.frm
Form=frm_debug.frm
Object={F9043C88-F6F2-101A-A3C9-08002B2F49FB}#1.1#0; Comdlg32.ocx
Object={D6EEA3C0-6216-11CF-BE62-0080C72EDD2D}#1.0#0; MARQUEE.OCX
IconForm="frm_main"
Startup="Sub Main"
HelpFile=""
ExeName32="NM_GA.exe"
Command32=""
Name="nm_ga"
HelpContextID="0"
CompatibleMode="0"
MajorVer=1
MinorVer=0
RevisionVer=0
AutoIncrementVer=0
ServerSupportFiles=0
VersionCompanyName="MGA Software"
CompilationType=0
OptimizationType=0
FavorPentiumPro(tm)=0
CodeViewDebugInfo=0
NoAliasing=0
BoundsCheck=0
OverflowCheck=0
FlPointCheck=0
FDIVCheck=0
UnroundedFP=0
StartMode=0
Unattended=0
ThreadPerObject=0
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-2

MaxNumberOfThreads=1

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-3

File ga_omega_vbw

```
frm_main = 7, 101, 900, 674, , 8, 12, 949, 661,  
nmga = -2, 23, 950, 688,  
token_group = 35, 60, 863, 536,  
frm_tokens = 224, 49, 903, 525, C, 55, 125, 945, 601, C  
frm_new_group = 176, 176, 710, 652, C, 154, 154, 688, 630, C  
frm_edit_token = 132, 132, 683, 608, C, 154, 154, 705, 630,  
frm_options = 183, 165, 734, 641, C, 25, 20, 649, 606,  
frm_text = 132, 132, 761, 608, Z, 91, 10, 836, 651, C  
frm_graphics = 42, 12, 746, 651, C, 36, 11, 824, 689, C  
frm_histo = 0, 0, 757, 476, C, 32, -9, 901, 688, C  
frm_sort_results = 22, 22, 722, 591, C, 0, 0, 733, 476, C  
frm_debug = 132, 132, 633, 600, C, 110, 110, 678, 578, C
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-4

File nm_gal.bas

```
Attribute VB_Name = "nmga"
Option Explicit
Private Declare Function nmv_exe Lib "c:\nmvexe\vc\nmv_exe.dll" _
    (ByRef theta As Single, ByRef lltheta As Single, ultheta As Single, _
    ByRef omega As Single, ByRef sigma As Single, ByRef obj As Single, _
    ByRef success As Single, ByRef setheta As Single, _
    ByRef seomega As Single, ByRef sesigma As Single, _
    ByRef rm As Single) As Long
Declare Sub Sleep Lib "kernel32" (ByVal dwMilliseconds As Long)
Public paused As Boolean
Public n_omega As Integer
Public non_omega_bits As Integer, omega_bits As Integer
Public n_non_omega_genes As Integer, omega_genes As Integer, n_genes As Integer
Public unique_fit() As Double ' use to list fitness by genome in order to check to see if model has already
been run
Public n_unique As Integer
Public current_model As Integer
Public n_models As Integer
Public Const n_groups As Integer = 50
Public token_collection(1 To n_groups) As New token_group
Public n_token_groups As Integer
Public mutation_rate As Single
Public last_gen As Integer
Public cross_over_freq As Single
Public frame_shift_prob As Single
Public n_runs As Integer
Public theta_crit As Single
Public omega_crit As Single
Public sigma_crit As Single
Public cov_crit As Single
Public corr_crit As Single
Public pop_size As Integer
Public generation_limit As Integer
Public call_method As String
Public genome() As Boolean ' catenation of structural genome and omega genome
Public home_directory As String
Public home_drive As String
Public gen_directory As String
Public run_number As Integer
Public upper_fitness_limit As Single
Public lower_fitness_limit As Single
Public stop_run As Boolean
Public this_gen As Integer
Public this_run As Integer
Public success_crit As Single
Public save_control As Boolean
Public save_output As Boolean
Public start_files(1 To 4) As String
Public n_files As Integer
Public omega_block As Boolean
Public n_omega_block As Integer ' number of bits of the genome devoted to the omega block description
Public n_omega_sequence As Integer ' number of bits of the genome devoted to the omega sequence
Const max_theta = 52
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-5

Public seed_type As String
Public seed_value As Integer
Public save_best As Boolean

```
Sub Main()  
Dim this_file As Integer  
n_files = GetSetting(appname:="NM_GA", section:="Startup", _  
    Key:="N", Default:=0)  
For this_file = 1 To n_files  
    start_files(this_file) = GetSetting(appname:="NM_GA", section:="Startup", _  
        Key:="File" & str(this_file), Default:="")  
    frm_main.files(this_file).Visible = True  
    frm_main.files(this_file).Caption = start_files(this_file)  
Next this_file  
home_directory = "c:\\"  
  
frm_main.Show  
End Sub  
  
Sub set_options()  
With frm_options  
    .txt_mutation_rate = mutation_rate  
    .txt_cross_over_freq = cross_over_freq  
    .txt_frame_shift_prob = frame_shift_prob  
    .txt_theta_crit = theta_crit  
    .txt_omega_crit = omega_crit  
    .txt_sigma_crit = sigma_crit  
    .txt_cov_crit = cov_crit  
    .txt_generations = generation_limit  
    .txt_upper_limit = upper_fitness_limit  
    .txt_lower_limit = lower_fitness_limit  
    .txt_corr_crit = corr_crit  
    .txt_succ_crit = success_crit  
If omega_block = False Then  
    .chk_non_diag_omega = 0  
Else  
    .chk_non_diag_omega = 1  
End If  
If save_control = False Then  
    .chk_save_control = 0  
Else  
    .chk_save_control = 1  
End If  
If save_best = False Then  
    .chk_save_best = 0  
Else  
    .chk_save_best = 1  
End If  
If save_output = False Then  
    .chk_save_output = 0  
Else  
    .chk_save_output = 1  
End If  
Select Case seed_type  
Case "clock"
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-6

```
.opt_rnd_clock = True
.txt_rnd_seed.Enabled = False
Case "user"
.opt_rnd_user = True
.txt_rnd_seed = seed_value
.txt_rnd_seed.Enabled = True
Case "default"
.opt_rnd_default = True
.txt_rnd_seed.Enabled = False
End Select
If call_method = "dll" Then .opt_dll = True
If call_method = "exe" Then .opt_exe = True
.txt_pop_size = pop_size
If n_runs = 1 Then .opt_1run = True
If n_runs = 2 Then .opt_2runs = True
If n_runs = 4 Then .opt_4runs = True
End With
End Sub

Sub get_bin(ByVal in_num As Integer, ByRef bin_str() As Boolean)
Dim n_genes As Integer, remainder As Integer, i As Integer, base As Integer
n_genes = UBound(bin_str)
base = 2
For i = 1 To n_genes
remainder = in_num Mod base
If remainder > 0 Then
bin_str(n_genes - i + 1) = True
Else
bin_str(n_genes - i + 1) = False
End If
in_num = in_num - remainder
base = base * 2
Next i

End Sub

Sub grid_search()
this_gen = 1
this_run = 0
Dim n_pop As Double, this_group As Integer, this_set As Integer
Dim binary() As Boolean, values() As Integer, max_values() As Integer
Dim n_genes As Integer, this_gene As Integer, this_ind As Integer
Dim cur_gene As Integer
n_genes = count_omega_genes() + count_non_omega_genes()
n_pop = get_n_pop()
If n_pop < 1000000 Then
Dim n_str As String
If MsgBox("There will be " & n_pop & " runs" & vbCrLf & _
"Do you want to continue?", vbOKCancel, "Full grid search") <> vbOK Then
Exit Sub
End If
Else
If n_pop > 1000000000 Then
n_str = Format(n_pop, "Scientific")
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-7

```
Else
n_str = Format(n_pop, "0,000,000,000")
End If
MsgBox ("There are " & n_str & " runs, cannot dimension genome this large, please use GA")
Exit Sub
End If
' otherwise, continue
ReDim values(1 To n_genes, 1 To n_pop)
ReDim binary(1 To n_genes)
ReDim max_values(1 To n_genes)
ReDim fitness(1 To n_pop)

For this_gene = 1 To n_genes
max_values(this_gene) = token_collection(this_gene).n_token_sets
Next this_gene
' first set up the first individual, all 1's
For this_gene = 1 To n_genes
values(this_gene, 1) = 1
Next this_gene
' next creat the population
' then increment each successive individual, if you exceed max_values, increment the next
For this_ind = 2 To n_pop
For this_gene = 1 To n_genes
values(this_gene, this_ind) = values(this_gene, this_ind - 1)
Next this_gene
values(n_genes, this_ind) = values(n_genes, this_ind) + 1
' check to see if this is over max
cur_gene = n_genes
While values(cur_gene, this_ind) > max_values(cur_gene)
values(cur_gene, this_ind) = 1
values(cur_gene - 1, this_ind) = values(cur_gene - 1, this_ind) + 1
cur_gene = cur_gene - 1
Wend
Next this_ind
gen_directory = home_directory & "\1"
Dim test As String
test = Dir(gen_directory, vbDirectory)
If test <> "1" Then
MkDir (gen_directory)
End If
ChDir (home_directory & "\1")
' scaled fitness is dummy
Dim scaled_fitness() As Single
ReDim scaled_fitness(1 To n_pop)
' and run population
run_population scaled_fitness(), values(), False
End Sub

Sub ga_runner(start_new_run As Boolean, check_out As Boolean)
Dim scaled_fitness() As Single
Dim n_pop As Double, this_group As Integer, this_set As Integer
Dim genes() As Integer, max_values() As Integer
Dim unmapped_values() As Integer, total_bits As Long
Dim n_bits() As Integer ' number of bits in each gene
Dim total_bit As Integer, this_bit As Integer
Dim n_omega_genes As Integer, this_gene As Integer, this_ind As Integer
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-8

```
Dim cur_gene As Integer
Dim n_rows As Integer, max_x As Single
' set random seed if needed
If seed_type = "clock" Then Randomize
If seed_type = "user" Then Randomize (seed_value)

' need to add genes for non-diagonal omega
n_non_omega_genes = count_non_omega_genes()
n_omega_genes = count_omega_genes()
n_genes = n_non_omega_genes + n_omega_genes
' n_pop is either the maximum number or the number selected
' we need to distinguish between genes (on genes) and bits (on genome).
' a gene is represented by one or more bits
' n_pop is the population size, first we'll see ho
n_pop = get_n_pop()
If n_pop > pop_size Then
    n_pop = pop_size
Else
    MsgBox ("Only " & n_pop & " combinations exist, will do grid search")
    grid_search
    Exit Sub
End If
' unmapped values are the "raw" values straight from the genome
' which is basically randomly generated
' you unmap them to get the "genes", which is used to create the control file.
ReDim unmapped_values(1 To n_genes, 1 To n_pop)
ReDim genes(1 To n_genes, 1 To n_pop)
ReDim n_bits(1 To n_genes) ' how many bits in each gene , only 1 if there are 2 possibilities, 2 if 3 or 4 etc
ReDim fitness(1 To n_pop)
ReDim scaled_fitness(1 To n_pop)
ReDim max_values(1 To n_genes)
ReDim fitness(1 To n_pop)
ReDim unique_fit(1 To n_pop * generation_limit, 1 To 7)
' genome_integer, fitness, generation, individual, obj, success, covar,
' need success and covar to put into the table. Scaled fitness will be added later,
' from a new calculation.
' find the maximum values that the gene can have, min value = 1?
non_omega_bits = count_non_omega_bits
omega_bits = count_omega_bits
total_bits = non_omega_bits + omega_bits
For this_gene = 1 To n_non_omega_genes ' do not include omega genes
    max_values(this_gene) = token_collection(this_gene).n_token_sets
    n_bits(this_gene) = get_nbits(max_values(this_gene))
Next this_gene
' next genes are block genes for omega, each is only 1 bit
For this_gene = n_non_omega_genes + 1 To n_non_omega_genes + n_omega - 1
    max_values(this_gene) = 2
    n_bits(this_gene) = 1
Next this_gene
' final genes are sequence genes for omega
Dim this_omega As Integer: this_omega = n_omega
For this_gene = n_non_omega_genes + n_omega To n_genes ' do not include omega genes
    max_values(this_gene) = this_omega
    this_omega = this_omega - 1
    n_bits(this_gene) = get_nbits(max_values(this_gene))
Next this_gene
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-9

```
' now that we know how many bits, we can define the size of the genome (a binary)
'if genome is not yet defined
frm_main.pgb_gen.max = generation_limit
  frm_main.pgb_gen.min = 0
If start_new_run = True Then
  ReDim genome(1 To total_bits, 1 To n_pop)
  ' next creat the population
  ' then increment each successive individual, if you exceed max_values, increment the next
  For this_ind = 1 To n_pop
    For this_bit = 1 To total_bits
      genome(this_bit, this_ind) = (Rnd() > 0.5)
    Next this_bit
  Next this_ind
  frm_main.pgb_gen.value = 0
Else ' continue old run, first check to see if old genome is the right size
  this_gen = last_gen
  If UBound(genome, 1) <> total_bits Or UBound(genome, 2) <> n_pop Then
    MsgBox "Error in genome, starting new GA run"
    ReDim genome(1 To total_bits, 1 To n_pop)
    ' create the population anyway, can't use old genome
    ' then increment each successive individual, if you exceed max_values, increment the next
    For this_ind = 1 To n_pop
      For this_bit = 1 To total_bits
        genome(this_bit, this_ind) = (Rnd() > 0.5)
      Next this_bit
    Next this_ind
    frm_main.pgb_gen.value = this_gen
  End If

End If
ReDim min_fitness(1 To generation_limit)
ReDim mean_fitness(1 To generation_limit)
ReDim max_fitness(1 To generation_limit)
n_rows = generation_limit
max_x = generation_limit
If start_new_run = True Then initialize_plot n_rows
While this_gen < generation_limit And stop_run = False
  this_gen = this_gen + 1
  frm_main.pgb_gen.value = this_gen
  Dim ok As String
  gen_directory = home_directory & "\" & this_gen
  ok = Dir(gen_directory, vbDirectory)
  If Trim(ok) = Trim(str(this_gen)) Then
    ok = Dir(gen_directory & "\control", vbNormal)
    If ok <> "" Then Kill gen_directory & "\*.*)"
  Else
    Mkdir gen_directory
    ChDir gen_directory
  End If
  ' uncode genome, write to unmapped values
  uncode unmapped_values(), n_bits()
  ' then unmap
  unmap genes(), max_values(), unmapped_values(), n_bits()
  run_population scaled_fitness, genes, check_out
  last_gen = this_gen
  ' Dim test_str As String, i As Integer
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-10

```
' test_str = "before: "
' For i = 1 To UBound(genome, 1)
'   If genome(i, 1) = True Then
'     test_str = test_str & 1
'   Else
'     test_str = test_str & 0
'   End If
' Next i
' get_next_gen scaled_fitness 'only need genome, then goes back to uncode and unmap
' test_str = test_str & vbCrLf & "after: "
' For i = 1 To UBound(genome, 1)
'   If genome(i, 1) = True Then
'     test_str = test_str & 1
'   Else
'     test_str = test_str & 0
'   End If
' Next i
' MsgBox test_str, , "after"
' save_model "temp" & this_run & ".mdl" 'save a temp copy after every new genome defined
Wend
' frm_main.Show 1, frm_main

End Sub
Private Sub get_next_gen(scaled_fitness)
Dim n_genes As Integer, this_ind As Integer, i As Integer
Dim cum_fitness() As Single 'cummulative fitness, sum = 1
Dim pairs() As Integer
Dim n_pop As Integer
n_genes = UBound(genome, 1)
n_pop = UBound(scaled_fitness)
ReDim cum_fitness(1 To n_pop)
Dim new_genome() As Boolean
ReDim new_genome(1 To n_genes, 1 To n_pop)
ReDim pairs(1 To 2, 1 To n_pop / 2)

If save_best = True Then
Dim saved_genome() As Boolean: ReDim saved_genome(1 To n_genes)
Dim max_fitness As Single, best_one As Integer
max_fitness = -9999999
For i = 1 To n_pop
  If scaled_fitness(i) > max_fitness Then
    max_fitness = scaled_fitness(i)
    best_one = i
  End If
Next i
For i = 1 To n_genes
  saved_genome(i) = genome(i, best_one)
Next i
End If
' calculate cumulative fitness, scaled to 1.
cum_fitness(1) = scaled_fitness(1)
For i = 2 To n_pop
  cum_fitness(i) = cum_fitness(i - 1) + scaled_fitness(i)
Next i
' and divide all by the sum
For i = 1 To n_pop
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-11

```
cum_fitness(i) = cum_fitness(i) / cum_fitness(n_pop)
Next i

select_pairs pairs, cum_fitness
'cross them over
cross_over_genes pairs
'and mutate
mutate_genes
frame_shift_genes
'and if we're saving the best
If save_best = True Then
  For i = 1 To n_genes
    genome(i, n_pop) = saved_genome(i)
  Next i
End If
End Sub
Private Sub frame_shift_genes()
' select which genes to frame shift
' for these randomly select two points,
' in the first place
Dim this_gene As Integer, this_ind As Integer
Dim start As Integer, last As Integer
Dim rand As Single

For this_ind = 1 To UBound(genome, 2)
  rand = Rnd()
  If rand < frame_shift_prob Then
    start = Rnd() * UBound(genome, 1) + 1
    last = Rnd() * UBound(genome, 1) + 1
    If last > start Then
      If last >= UBound(genome, 1) Then last = UBound(genome, 1) - 1
      If start <= 1 Then start = 1
      For this_gene = start To last - 1
        genome(this_gene + 1, this_ind) = genome(this_gene, this_ind)
      Next this_gene
      genome(last, this_ind) = genome(start, this_ind)
    End If
    If start > last Then
      'last can't be 1 or you try to write to position 0
      If last <= 1 Then last = 2
      If start >= UBound(genome, 1) Then start = UBound(genome, 1)
      For this_gene = start To last Step -1
        genome(this_gene - 1, this_ind) = genome(this_gene, this_ind)
      Next this_gene
      genome(last, this_ind) = genome(start, this_ind)
    End If
  End If 'rand < frame_shift if
Next this_ind
End Sub

Private Sub cross_over_genes(pairs() As Integer)
'create new genome
' there are n_pop/2 pairs. each pair results in 2 individuals in the new_genome
Dim new_genome() As Boolean
Dim this_pair As Integer, n_pairs As Integer, length As Integer
Dim this_gene As Integer '
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-12

```
' genome is (gene,sub)
' pairs is (1 to 2,nsub/2)
n_pairs = UBound(pairs, 2)
length = UBound(genome, 1)
ReDim new_genome(length, n_pairs * 2)
Dim where As Integer, rand As Single
For this_pair = 1 To n_pairs
' new individuals are (this_pair-1)*2 +1 and this_pair *2 in new_genome
If Rnd() < cross_over_freq Then
    where = Rnd() * length
    For this_gene = 1 To where
        ' write the left half of the gene, up to where
        new_genome(this_gene, (this_pair - 1) * 2 + 1) = genome(this_gene, pairs(1, this_pair))
        new_genome(this_gene, this_pair * 2) = genome(this_gene, pairs(2, this_pair))
    Next this_gene
    For this_gene = where + 1 To length
        new_genome(this_gene, (this_pair - 1) * 2 + 1) = genome(this_gene, pairs(2, this_pair))
        new_genome(this_gene, this_pair * 2) = genome(this_gene, pairs(1, this_pair))
    Next this_gene
Else
    ' no cross over
    For this_gene = 1 To length
        new_genome(this_gene, (this_pair - 1) * 2 + 1) = genome(this_gene, pairs(1, this_pair))
        new_genome(this_gene, this_pair * 2) = genome(this_gene, pairs(2, this_pair))
    Next this_gene
End If
Next this_pair
' then copy new_genome to genome
For this_gene = 1 To length
    For this_pair = 1 To n_pairs * 2
        genome(this_gene, this_pair) = new_genome(this_gene, this_pair)
    Next this_pair
Next this_gene
End Sub

Private Sub mutate_genes()
Dim n_genes As Integer, this_gene As Integer
Dim n_pop As Integer, this_ind As Integer
Dim rand As Single
n_genes = UBound(genome, 1): n_pop = UBound(genome, 2)
For this_gene = 1 To n_genes
    For this_ind = 1 To n_pop
        rand = Rnd()
        If rand < mutation_rate Then genome(this_gene, this_ind) = Not (genome(this_gene, this_ind))
    Next this_ind
Next this_gene
End Sub

Function get_nbits(number As Integer) As Integer
If number = 0 Then
    get_nbits = 0
Else
    get_nbits = Log(number) / Log(2) + 0.4999
End If
End Function

Sub run_population(scaled_fitness() As Single, values() As Integer, check_out As Boolean)
Dim limit_str As String ' is theta at the upper or lower limit
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-13

```
Dim genome_integer As Double, old_fitness As Single
Dim old_gen As Integer, old_ind As Integer, old_dir As String
Dim already_run As Boolean
Dim fitness() As Single
Dim n_ind As Integer, control_code As String, i As Integer, ok As String
Dim n_genes As Integer, one_run_values() As Integer
Dim obj As Single, success As Integer, covar As Integer
n_ind = UBound(values, 2)
ReDim fitness(n_ind)
ReDim new_fitness(n_ind)
n_genes = UBound(values, 1)
ReDim one_run_values(1 To n_genes)
Dim this_runl As Integer
this_run = 0
frm_main.pgb_ind.max = n_ind
'*****
'***** TOP OF POPULATION LOOP *****
'*****
For this_runl = 1 To n_ind ' this_runl = local this_run
frm_main.pgb_ind.value = this_runl
frm_main.Refresh
DoEvents
Do While paused = True
DoEvents
Sleep 500
Loop
this_run = this_run + 1
frm_main.spr_result.col = 9
frm_main.spr_result.row = (this_gen - 1) * n_ind + this_runl
frm_main.spr_result.value = this_runl
frm_main.spr_result.col = 8
frm_main.spr_result.value = this_gen
DoEvents
If stop_run = True Then Exit Sub
For i = 1 To n_genes
one_run_values(i) = values(i, this_runl)
Next i
control_code = make_control(frm_main.txt_code, one_run_values(), token_collection())
ok = Dir(gen_directory & "\" & this_runl, vbDirectory)
If Trim(ok) = Trim(str(this_runl)) Then
ok = Dir(gen_directory & "\" & this_runl & "\control", vbDirectory)
If ok <> "" Then Kill gen_directory & "\" & this_runl & "\*.*)"
Else
MkDir gen_directory & "\" & this_runl
ChDir gen_directory & "\" & this_runl
End If
Open gen_directory & "\" & this_runl & "\control" For Output As #1
Print #1, control_code
Close #1
' first check to see if this genome has been run
already_run = False
limit_str = "" ' reset the string that describes whether theta is at the boundry to null
genome_integer = make_int(this_runl)
For i = 1 To n_unique
If genome_integer = unique_fit(i, 1) Then
fitness(this_runl) = unique_fit(i, 2)
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-14

```
old_gen = unique_fit(i, 3)
old_ind = unique_fit(i, 4)
obj = unique_fit(i, 5)
success = unique_fit(i, 6)
covar = unique_fit(i, 7)
run_number = run_number + 1
already_run = True
' need to recalcuate limit_str for already run model NOT DONE YET
Exit For
End If

Next i
Sleep 100 'to clear file buffer before deleteing files.
If already_run = False Then
    fitness(this_runl) = call_nm("c:", gen_directory & "\ " & this_runl, "control", obj, success, covar, limit_str,
    check_out)
On Error Resume Next ' don't ned to worry if you can't delete file
If Dir("fdata", vbNormal) <> "" Then Kill ("fdata")
If Dir("link.lnk", vbNormal) <> "" Then Kill ("link.lnk")
If Dir("prder", vbNormal) <> "" Then Kill ("prder")
If Dir("freport", vbNormal) <> "" Then Kill ("freport")
If Dir("fsubs", vbNormal) <> "" Then Kill ("fsubs")
If Dir("fsubs.for", vbNormal) <> "" Then Kill ("fsubs.for")
If Dir("nonmem.exe", vbNormal) <> "" Then Kill ("nonmem.exe")
If Dir("df.txt", vbNormal) <> "" Then Kill ("df.txt")
On Error GoTo 0
n_unique = n_unique + 1
frm_main.lbl_count = n_unique
unique_fit(n_unique, 1) = genome_integer: unique_fit(n_unique, 2) = fitness(this_runl)
unique_fit(n_unique, 3) = this_gen: unique_fit(n_unique, 4) = this_runl
unique_fit(n_unique, 5) = obj: unique_fit(n_unique, 6) = success
unique_fit(n_unique, 7) = covar
' need to write the results to the spreadsheet, usually done by call_nm
Else
old_dir = home_directory & "\ " & Trim(str(old_gen)) & "\ " & Trim(str(old_ind)) & "\ "
ChDir (gen_directory & "\ " & this_runl)
If LCase(Dir(old_dir & "control")) = "control" Then
    FileCopy old_dir & "control", CurDir & "\control"
End If
If LCase(Dir(old_dir & "result")) = "result" Then
    FileCopy old_dir & "result", CurDir & "\result"
End If
If LCase(Dir(old_dir & "output")) = "output" Then
    FileCopy old_dir & "result", CurDir & "\output"
End If
If LCase(Dir(old_dir & "inputs")) = "inputs" Then
    FileCopy old_dir & "inputs", CurDir & "\inputs"
End If
If LCase(Dir(old_dir & "parms")) = "parms" Then
    FileCopy old_dir & "parms", CurDir & "\parms"
End If
End If
' and write the results
With frm_main.spr_result
.col = 2
    If success = 0 Then
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-15

```
.text = "Yes"
Else
.text = "No"
End If
.row = run_number
.col = 3
If success = 0 And covar = 0 Then
.text = "Yes"
Else
.text = "No"
End If
.col = 4
.text = fitness(this_run1)
.col = 1
If obj < 999999999.9 Then
.text = obj
Else
.text = "Crash"
.col = 2
.text = "No"
.col = 3
.text = "No"
.col = 4
.text = "Crash"
End If
.col = 11
.text = limit_str
.col = 1
.Action = 0
End With
DoEvents: frm_main.Refresh
If save_control = False Then Kill "control"
If save_output = False Then
If Dir(".\output", vbNormal) = "result" Then Kill "result"
End If
If stop_run = True Then Exit Sub
Next this_run1
scale_fitness scaled_fitness(), fitness()
' update plot
update_plot fitness(), scaled_fitness()
End Sub
Sub update_plot(fitness() As Single, scaled_fitness() As Single)
' first append new fitness values onto all_fitness
' need to check to see if n generations is exceeded for time limited
Dim i As Integer, n As Integer
Dim this_min As Single, this_max As Single, this_mean As Single
Dim sum As Single, count As Integer
this_min = 999999999
this_max = -999999999
sum = 0
count = 0
For i = 1 To UBound(fitness)
If fitness(i) < 99999999 Then
If fitness(i) < this_min Then this_min = fitness(i)
If fitness(i) > this_max Then this_max = fitness(i)
sum = sum + fitness(i)
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-16

```
    count = count + 1
End If
Next i
If count <> 0 Then
    this_mean = sum / count
Else
    this_mean = 1000000
End If
With frm_main.MSChart1
    .row = this_gen
    .Column = 1
    .Data = this_min
    .Column = 2
    .Data = this_mean
    .Column = 3
    .Data = this_max
    .DrawMode = VtChDrawModeDraw
End With

With frm_main.spr_result
    .col = 10
    For i = 1 To pop_size
        .row = (this_gen - 1) * pop_size + i
        .text = Format(scaled_fitness(i), "0.000")
    Next i

End With
End Sub
Sub initialize_plot(n_rows As Integer)
    Dim i As Integer, n As Integer
    ' final 2 columns define upper limit of axis
    With frm_main.MSChart1
        .RowCount = 0
        .ColumnCount = 0
        .RowCount = n_rows
        .ColumnCount = 3
        For i = 1 To n_rows
            .row = i
            .RowLabel = i
        Next i
        .DrawMode = VtChDrawModeDraw
    End With
End Sub
Function get_n_pop() As Double
    Dim this_group As Integer, n_sets As Double
    n_sets = 1
    For this_group = 1 To n_token_groups
        n_sets = n_sets * token_collection(this_group).n_token_sets
    Next this_group
    get_n_pop = n_sets
End Function
Function make_control(ga_code As String, values() As Integer, _
    token_collection() As token_group) As String
    ' so, search ga_code for each instance of stem(1) to stem(n_token_groups)
    ' thetas will be "{THETA(a)}" in the $PK, ERROR or pred and "{$THETA(A)=} (0,1,2) for the theta
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-17

```
' part. similarly for omega and sigma
' afterward, well need to sort out A, B etc and put the $THETA, $OMEGA and $SIGMA
' element in proper order
' and mover the {$THETA(A)= } TO AFTER THE VALUES
Dim done As Boolean, this_int As Integer
If this_run > 15 Then
  MsgBox "Pause"
End If
Dim this_token_set As Integer
Dim this_token As Integer
Dim new_code As String, new_string As String, old_string As String
new_code = ga_code
Dim test_string As String
done = False
While Not (done) ' loop here until no more token_stem(*) is found
' this will loop trough the non-omega genes
For this_token_set = 1 To n_token_groups
  For this_token = 1 To token_collection(this_token_set).n_tokens
    old_string = token_collection(this_token_set).stem & "(" & this_token & ")"
    new_string = token_collection(this_token_set).get_token(values(this_token_set), this_token)
    new_code = sub_string(new_code, old_string, new_string)
  '   frm_text.txt_text = new_code
  '   frm_text.Show 1, frm_main
  Next this_token
Next this_token_set
' check to see if we are done
' loop over token_set stem to look for more tokens
' look for token_set.stem & (1-9)
done = True
For this_token_set = 1 To n_token_groups
  For this_int = 1 To max_theta
    test_string = token_collection(this_token_set).stem & "(" & Trim(str(this_int)) & ")"
    ' if test_string is in code, then not done
    frm_text.txt_text = new_code
    ' frm_text.Show 1, frm_main
    If InStr(1, new_code, test_string, vbTextCompare) <> 0 Then
      done = False
      Exit For
    End If
  Next this_int
  If done = False Then Exit For
Next this_token_set
Wend ' end of loop over
' now the final editing, replace the {crlf} with real crlf
new_code = add_crlf(new_code)
If MsgBox(new_code, vbOKCancel, "before match_reference") = vbCancel Then End
' match up the THETA(A) with correct THETA(1)'s
new_code = match_references(new_code)
' sort the resulting theta, etas, sigmas
new_code = sorter(new_code)
' finally, swap $THETA= to end of line
new_code = swapper(new_code)
If MsgBox(new_code, vbOKCancel, "final") = vbCancel Then End
' now, if omega_block is true, first remove the all omega parts and substitute the omega BLOCK(n) parts
If omega_block = True Then
  ' substitute the BLOCK syntax
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-18

```
frm_text.txt_text = new_code
frm_text.Show 1, frm_main
new_code = sub_omega_block(new_code, values)
End If
make_control = new_code
MsgBox new_code
End Function
Function sub_omega_block(code As String, values() As Integer) As String
Dim block_part As String, n_etas As Integer
Dim omega_start As Integer, n As Integer
Dim omega_end As Integer, this_gene As Integer
Dim start_pos As Integer, end_pos As Integer
Dim init_omega() As Single: ReDim init_omega(1 To n_omega)
Dim sequences() As Integer: ReDim sequences(1 To n_omega - 1) 'sequence of omegas, all possible etas
(ie max omega, n_omega)
Dim new_sequences() As Integer 'the sequences specific for this control
' sequence will have max_omega values
Dim left_part_code As String, right_part_code As String 'left and right parts of code, without the omega
block
Dim covar_values() As Boolean: ReDim covar_values(1 To n_omega - 1) 'is this row in a block with the
row above? does not include first row
' read in covar_values() go ahead and read in all , even though we'll only use some
For this_gene = 1 To n_omega - 1
If values(this_gene + n_non_omega_genes) = 2 Then
covar_values(this_gene) = True
End If
Next this_gene
' while we're here, read in sequences
For this_gene = 1 To n_omega - 1
sequences(this_gene) = values(this_gene + n_non_omega_genes + n_omega - 1)

' while we're here, read in sequences
Next this_gene
'we'll need to compress the sequence of the first n sequence values into 1 to n
' e.g. if we have 4 etas in this control, but max_omega = 7, and sequence is 5,6,3,1,24
' we compress the first 4 into 3,4,2,1
' so we need to figure out how many etas in this control file.
n_etas = count_etan(code)
frm_text.txt_text = code
frm_text.Show 1, frm_main
' first cut out the omega block
omega_start = InStr(1, code, "$OMEGA")
omega_end = InStr(1, code, "$SIGMA") - 1
left_part_code = Left(code, omega_start - 1)
frm_text.txt_text = left_part_code
frm_text.Show 1, frm_main
right_part_code = Right(code, Len(code) - omega_end)
frm_text.txt_text = right_part_code
frm_text.Show 1, frm_main
block_part = Mid(code, omega_start, omega_end - omega_start)
frm_text.txt_text = block_part
frm_text.Show 1, frm_main
' remove $OMEGA
block_part = Right(block_part, Len(block_part) - 7) '7 for the $OMEGA
frm_text.txt_text = block_part
frm_text.Show 1, frm_main
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-19

```
' remove all parts between ; and vbCrLf
While InStr(1, block_part, ";") <> 0
' If this_run = 4 Then
' frm_text.txt_text = block_part
' frm_text.Show 1, frm_main
' End If
start_pos = InStr(1, block_part, ";") - 1
' find end of line
end_pos = InStr(start_pos, block_part, vbCrLf)
If end_pos = 0 Then end_pos = Len(block_part)
' MsgBox Left(block_part, start_pos)
block_part = Left(block_part, start_pos) & Right(block_part, Len(block_part) - end_pos)
' MsgBox block_part
Wend
block_part = Trim(block_part)
' now get the values for omega' just read the (??) values
' find pairs between ( and ) and read into init_omega
start_pos = 1: n = 1
While InStr(start_pos, block_part, "(") <> 0
start_pos = InStr(start_pos, block_part, "(") + 1
end_pos = InStr(start_pos, block_part, ")")
init_omega(n) = Val(Mid(block_part, start_pos, end_pos - start_pos))
n = n + 1
Wend
' and resequence them
' if there are no etas exit, will cause a crash in nonmem, but that's ok
If n_etas > 0 Then
ReDim new_sequences(1 To n_etas)
Else
sub_omega_block = code
Exit Function
End If
' read in the new sequences from the sequences
' loop over sequences, looking for values 1 to n_etas.
' note that sequences has n_omega - 1 elements, the final
' position is determined by the others
Dim cur_eta_count As Integer ' count of non-zero elements
Dim n_etas_left As Integer ' how many etas are left to fill
Dim i As Integer, cur_eta_position ' current position in new_sequences being examined (to see if = 0)
n_etas_left = n_etas
For i = 1 To n_etas ' looking for ETA(i) in main code
' get the values from sequences
cur_eta_position = sequences(i)
If cur_eta_position > n_etas_left Then cur_eta_position = n_etas_left
cur_eta_count = 0
For n = 1 To n_etas
If new_sequences(n) = 0 Then cur_eta_count = cur_eta_count + 1
If cur_eta_count = cur_eta_position Then
new_sequences(n) = i
n_etas_left = n_etas_left - 1
Exit For
End If
Next n
Next i
' substitute the etas
' first change THETA to XXXXXX
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-20

```
' frm_text.txt_text = code
' frm_text.Show 1, frm_main
left_part_code = sub_string(left_part_code, "THETA", "XXXXXX")
Dim new_string As String, old_string As String ' new string will be "YYY(" to prevent re- replacement
For i = 1 To n_etas
    old_string = "ETA(" & Trim(str(i)) & ")"
    new_string = "YYY(" & Trim(new_sequences(i)) & ")"
    left_part_code = sub_string(left_part_code, old_string, new_string)
Next i
' and replace the "YYY(" with "ETA("
left_part_code = sub_string(left_part_code, "YYY(", "ETA(")
left_part_code = sub_string(left_part_code, "XXXXXX", "THETA")
frm_text.txt_text = left_part_code
' frm_text.Show 1, frm_main
' and write the new block
' build new omega block
Dim new_omega_block As String, this_column As Integer
Dim this_row As Integer, cur_end_row As Integer
Dim cur_row_count ' how many rows in this block
Dim off_diag As String
    this_column = 1: this_row = 1
cur_end_row = 1
While cur_end_row <= n_etas
    ' is this a new block, if so how big?
    ' loop through covar_values until you find a false
    cur_row_count = 1
    *****
    *****Part to put into old project
    *****
    Do While covar_values(cur_end_row) And cur_end_row < n_etas
        cur_row_count = cur_row_count + 1
        cur_end_row = cur_end_row + 1
        If cur_end_row > n_etas Then Exit Do
    Loop
    ' need to see if we have exceeded the number of etas
    If cur_end_row > n_etas Then cur_end_row = n_etas
    If cur_row_count = 1 Then
        new_omega_block = new_omega_block & "$OMEGA " & vbCrLf
    Else
        new_omega_block = new_omega_block & "$OMEGA BLOCK(" & Trim(str(cur_row_count)) & ")" &
vbCrLf
    End If
    For i = 1 To cur_row_count
        ' construct off diagonal elements
        off_diag = " "
        For n = 1 To i - 1
            off_diag = off_diag & " (0.00001) "
        Next n
        new_omega_block = new_omega_block & off_diag & "(" & init_omega(1) & ")" & vbCrLf
    Next i
    ' MsgBox new_omega_block
    cur_end_row = cur_end_row + 1
Wend ' this_row
sub_omega_block = left_part_code & new_omega_block & right_part_code

frm_text.txt_text = left_part_code & vbCrLf & new_omega_block & vbCrLf & right_part_code
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-21

```
frm_text.Show 1, frm_main
End Function

'and sequence the etas
Function sequence_omegas(code As String)
sequence_omegas = code
End Function

Function sorter(ByVal code As String) As String
'this function sorts the theta,omegas and sigma initial estimates
Dim new_code As String, cut_out As String, this_prefix As Integer
Dim stack(1 To max_theta) As String, stack_order(1 To max_theta) As Integer
Dim new_cut_out As String, token As String
Dim first_position As Long, last_position As Long, next_position As Long
Dim cur_prefix As String, position As Long
Dim prefixes(1 To 3) As String, stack_position As Integer
prefixes(1) = "{$THETA(": prefixes(2) = "{$ETA(": prefixes(3) = "{$EPS("
If MsgBox(code, vbOKCancel, "in sorter") = vbCancel Then End
Dim old_cut_out As String 'need to preserve original cut out to use in sub_string
new_code = code
For this_prefix = 1 To 3
If MsgBox(code, vbOKCancel) = vbCancel Then End
If InStr(new_code, prefixes(this_prefix)) = 0 Then Exit For
MsgBox new_code
'collect all {THETA(?)=} (XXX)
'find the first {THETA
first_position = InStr(1, new_code, prefixes(this_prefix))
last_position = first_position
' then find end of theta section
next_position = InStr(last_position + 1, new_code, prefixes(this_prefix))
While next_position <> 0
next_position = InStr(last_position + 1, new_code, prefixes(this_prefix))
If next_position <> 0 Then last_position = next_position
Wend
' then find the end of the last theta string
'note that you must end with a ")"
'find the first ")" at the end of the string
last_position = InStr(last_position, new_code, ")")
' then the final ")"
last_position = InStr(last_position - 1, new_code, ")") + 1
' cut out that section and sort it
MsgBox new_code
cut_out = Mid(new_code, first_position, last_position - first_position)
old_cut_out = cut_out 'need to save old cut_out for substring, since we are about
' to change cut_out.
' remove all vbCrLf from cut_out
cut_out = sub_string(cut_out, vbCrLf, "")
MsgBox cut_out
'assemble the stack of values
'find the lowest value, put it in stack(1) etc,
Dim i As Integer, cur_start As String, n As Integer, token1 As String, token2 As String, token3 As String
For i = 1 To max_theta
cur_start = prefixes(this_prefix) & i & "=}"
first_position = InStr(1, cut_out, cur_start)
' separate each token (from $theta to before next $theta) and put then on a stack to be sorted.
If first_position <> 0 Then
stack_position = stack_position + 1 ' next stack position
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-22

```
' find the start of the next token, or the end of cut_out string
last_position = InStr(first_position + 5, cut_out, "{"$") - 1 '
If last_position < 0 Then last_position = Len(cut_out)
token = Mid(cut_out, first_position, last_position - first_position + 1)
' token1 = Mid(cut_out, first_position + Len(cur_start), _
' last_position - first_position - Len(cur_start))
' token2 = " ;" & Mid(cut_out, first_position, Len(cur_start))
stack(stack_position) = token
stack_order(stack_position) = i
End If
Next i
' put cut out back together
new_cut_out = ""
For i = 1 To stack_position
new_cut_out = new_cut_out & stack(i) & vbCrLf & " "
Next i
new_code = sub_string(new_code, old_cut_out, new_cut_out)
new_cut_out = ""
' MsgBox Mid(new_code, 500, Len(new_code) - 500)
stack_position = 0
Next this_prefix
sorter = new_code
End Function

Private Function swapper(code As String) As String
' this function puts the {$THETA(?)} after the value
Dim this_prefix As Integer, position As Integer, eol As Integer, stop_pos As Integer
Dim cut_out As String, rest_str As String, new_str As String, first_part As String
Dim prefixes(1 To 3) As String: prefixes(1) = "{$THETA(": prefixes(2) = "{$ETA(": prefixes(3) =
 "{$EPS(":
For this_prefix = 1 To 3
' loop over the text looking for prefix
position = InStr(1, code, prefixes(this_prefix))
While position <> 0
' now find end of line
stop_pos = InStr(position, code, "{")
eol = InStr(stop_pos, code, vbCr) - 1
cut_out = Mid(code, position, eol - position + 1) ' + 1)
stop_pos = InStr(position, code, "{")
rest_str = Trim(Mid(code, stop_pos + 1, eol - stop_pos))
first_part = Trim(Mid(code, position, stop_pos - position))
Mid(first_part, 1, 2) = ";;"
new_str = rest_str & first_part
code = sub_string(code, cut_out, new_str)
position = eol - 3
position = InStr(1, code, prefixes(this_prefix))
Wend
Next this_prefix
swapper = code
End Function

Function match_references(ByVal code As String)
' match up { THETA(A) with {THETA(A)=}(xxxx) to figure out which theta (eta) this is
' and ETA(A) with {ETA(A)=} XX
' and also sigma
Dim this_prefix As Integer, integer_used As Boolean
Dim position As Long, cur_prefix As String, next_value As Integer
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-23

```
Dim cur_letter As Integer, cur_integer As Integer, cur_string As String
Dim cur_new_string As String, cur_old_string As String
Dim vtheta_used As Boolean
' first pass through the data to find out which theta, eta and eps is available
' Do theta first note that ETA is substring of THETA
' ETA is in THETA, so we'll first change "THETA" to "XXXXXX", do eta then change back
code = sub_string(code, "THETA", "XXXXXX")
' MsgBox (code)
Dim prefixes(1 To 3) As String: prefixes(1) = "ETA": prefixes(2) = "THETA": prefixes(3) = "EPS"
For this_prefix = 1 To 3
    cur_prefix = prefixes(this_prefix)
    ' find out if there are any fixed thetas (i.e., theta(1))
    frm_text.txt_text = code
    frm_text.Show 1, frm_main

' MsgBox (code)
cur_string = cur_prefix & "(1)"
position = InStr(code, cur_string)
cur_integer = 1
' find first available theta value
While position > 0
    cur_integer = cur_integer + 1
    cur_string = cur_prefix & "(" & cur_integer & ")"
    position = InStr(code, cur_string)
Wend
' assign lowest available number
next_value = cur_integer
' MAIN LOOP THROUGH CODE TO SUBSTITUTE THETA(3) FOR THETA(A)
' now loop through each possible value to variable theta (theta(a) to theta(z))
' NEED MORE LETTER THAN 26
For cur_letter = Asc("A") To Asc("Z")
    vtheta_used = False
    ' get new theta string
    cur_new_string = cur_prefix & "(" & cur_integer & ")"
    ' get old variable theta string
    cur_old_string = "{" & cur_prefix & "(" & Chr(cur_letter) & "}"
    position = InStr(1, code, cur_old_string)
    While position > 0
        vtheta_used = True
        code = sub_string(code, cur_old_string, cur_new_string)
    ' MsgBox code
    position = InStr(1, code, cur_old_string)
    Wend
    ' now do {theta(A)=} part
    ' right now we'll just replace, will need to sort and put theta(1) part
    ' at the end later.
    cur_new_string = "{" & cur_prefix & "(" & cur_integer & ")=}"
    cur_old_string = "{" & cur_prefix & "(" & Chr(cur_letter) & ")=}"
    position = InStr(1, code, cur_old_string)
    While position > 0
        code = sub_string(code, cur_old_string, cur_new_string)
        position = InStr(1, code, cur_old_string)
    Wend
    ' we want to increment cur_integer only if variable theta is used
    If vtheta_used = True Then cur_integer = cur_integer + 1
Next cur_letter
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-24

NOW THETA(AA) TO THETA(AZ)

For cur_letter = Asc("A") To Asc("Z")

vtheta_used = False

' get new theta string

cur_new_string = cur_prefix & "(" & cur_integer & ")"

' get old variable theta string, WITH THE "A"

cur_old_string = "{" & cur_prefix & "(A" & Chr(cur_letter) & "}"

position = InStr(1, code, cur_old_string)

While position > 0

vtheta_used = True

code = sub_string(code, cur_old_string, cur_new_string)

' MsgBox code

position = InStr(1, code, cur_old_string)

Wend

' now do { theta(AA)= } part

' right now we'll just replace, will need to sort and put theta(1) part

' at the end later.

cur_new_string = "{" & cur_prefix & "(" & cur_integer & ")=)"

cur_old_string = "{" & cur_prefix & "(A" & Chr(cur_letter) & ")=)"

position = InStr(1, code, cur_old_string)

While position > 0

code = sub_string(code, cur_old_string, cur_new_string)

position = InStr(1, code, cur_old_string)

Wend

' we want to increment cur_integer only if variable theta is used

If vtheta_used = True Then cur_integer = cur_integer + 1

Next cur_letter

' NEXT PREFIX

' change XXXX back to THETA if we just did theta

If this_prefix = 1 Then code = sub_string(code, "XXXXX", "THETA")

Next this_prefix

If MsgBox(code, vbOKCancel, "end of match_ref") = vbCancel Then End

match_references = code

End Function

Function add_crlf(ByVal code As String) As String

' replace the {crlf} with vbCrLf

Dim where As Long

where = InStr(1, code, "{crlf}")

While where > 0

code = sub_string(code, "{crlf}", vbCrLf)

where = InStr(1, code, "{crlf}")

Wend

add_crlf = code

End Function

Function sub_string(code As String, old_str As String, new_str As String) As String

' first check to see if code has changed

If InStr(new_str, old_str) > 0 Then

sub_string = code

Else

' this function replaces all instances of old_str with new_str

Dim position As Long, new_code As String, left_part As String, right_part As String

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-25

```
position = InStr(1, UCase(code), UCase(old_str)) - 1
new_code = code
While position > 0
    left_part = Left(new_code, position)
    right_part = Right(new_code, Len(new_code) - position - Len(old_str))

    new_code = left_part & new_str & right_part
    position = InStr(position, new_code, old_str) - 1
Wend
MsgBox (sub_string)
MsgBox (new_str)
MsgBox (old_str)
sub_string = new_code
End If
MsgBox (sub_string)
End Function

Function count_non_omega_genes()
count_non_omega_genes = n_token_groups
End Function
Function count_omega_genes()
If omega_block = True Then
n_omega = count_max_omega
count_omega_genes = 2 * (n_omega - 1)
' n_omega genes for the sequence (n_omega-1)! and n_omega -1 for the block definition
Else
count_omega_genes = 0
End If
End Function
Function count_non_omega_bits()
Dim i As Integer
Dim n As Integer
For i = 1 To n_token_groups
' one token set requires no genes, two requires 1, 3 or 4 requires 2, 5 to 8 requires 3
' basically, ceiling(log base 2(n_token_sets))
n = n + CInt(Log(token_collection(i).n_token_sets) / Log(2) + 0.499999)
Next i
count_non_omega_bits = n
End Function
Function count_omega_bits()
Dim i As Integer
Dim n As Integer
If omega_block = True Then
n = n_omega - 1 ' for the block part, one bit per gene (is this in a block with the row above?)
' sequence part (n-1)!
For i = n_omega To 2 Step -1
' eta(1) can be in n_omega possible values, eta(2) can be in n_omega -1 etc,
' to eta(n_omega) which is fixed
n = n + CInt(Log(i) / Log(2) + 0.499999)
Next i
count_omega_bits = n
Else
count_omega_bits = 0
End If
End Function
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-26

```
Sub randomizer(ByRef genome() As Boolean)
Dim i As Integer, n As Integer
Randomize
For n = 1 To pop_size
    For i = 1 To UBound(genome, 2)
        genome(n, i) = CInt(Rnd())
    Next i
Next n
End Sub

Public Sub save_model(file_name As String)
' get file name
' need to save:
' control file
' genome
' token set
' options
' first, control file
n_models = 1
Dim i As Integer, n As Integer, p As Integer
file_name = home_directory & "\" & file_name
Open file_name For Output As #1
Print #1, "Number of models = " & vbCrLf & n_models
For i = 1 To n_models
    Print #1, "##### Begining of model # " & i & " #####"
    Print #1, frm_main.txt_code
    Print #1, "##### End of model # " & i & " #####"
Next i
Print #1, "### End of GA code ###"
Print #1, " Last gen", vbCrLf, last_gen
Print #1, "### Start of genome ###"
Dim gen_str As String
If run_number = 0 Then
    Print #1, "Genome not defined"
Else
    Dim n_bits As Integer
    n_bits = count_omega_bits() + count_non_omega_bits()
    Print #1, "N bits = ", vbCrLf, UBound(genome, 1)
    Print #1, "Pop size = ", vbCrLf, UBound(genome, 2)
    ' genome is n_bits by pop size
    For i = 1 To UBound(genome, 1)
        For n = 1 To UBound(genome, 2)
            gen_str = gen_str & " " & -Int(genome(i, n)) ' - because fals = 0, true = -1
        Next n
        Print #1, gen_str
        gen_str = ""
    Next i
End If
Print #1, "### End of genome ###"
Print #1, "### Begining of tokens ###"
For i = 1 To n_token_groups
    Print #1, "Group stem = ", vbCrLf, token_collection(i).stem
    Print #1, "N token sets = ", vbCrLf, token_collection(i).n_token_sets
    Print #1, "N tokens = ", vbCrLf, token_collection(i).n_tokens
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-27

```
For n = 1 To token_collection(i).n_token_sets
Print #1, "Token set # ", vbCrLf, n
  For p = 1 To token_collection(i).n_tokens
    Print #1, token_collection(i).get_token(n, p)
  Next p
Next n
Next i

Print #1, "### End of tokens ###"
Print #1, "### Begining of options ###"
Print #1, "cross_over_freq", vbCrLf, cross_over_freq
Print #1, "mutation_rate", vbCrLf, mutation_rate
Print #1, "frame shift prob", vbCrLf, frame_shift_prob
Print #1, "n_runs", vbCrLf, n_runs
Print #1, "theta_crit", vbCrLf, theta_crit
Print #1, "omega_crit", vbCrLf, omega_crit
Print #1, "sigma_crit", vbCrLf, sigma_crit
Print #1, "cov_crit", vbCrLf, cov_crit
Print #1, "pop_size", vbCrLf, pop_size
Print #1, "generation_limit", vbCrLf, generation_limit
Print #1, "call_method", vbCrLf, call_method
Print #1, "upper fitness limit", vbCrLf, upper_fitness_limit
Print #1, "lower_fitness_limit", vbCrLf, lower_fitness_limit
Print #1, "correlation criteria", vbCrLf, corr_crit
Print #1, "success_criteria", vbCrLf, success_crit
Print #1, "save control", vbCrLf, save_control
Print #1, "save best", vbCrLf, save_best
Print #1, "save output", vbCrLf, save_output
Print #1, "omega block", vbCrLf, omega_block
Print #1, "seed type", vbCrLf, seed_type
Print #1, "seed value", vbCrLf, seed_value
Print #1, "### End of options ###"
Print #1, "#####"
Close #1
End Sub

Sub get_model(file As String)
Dim textline As String, code As String, n As Integer, n_bits As Integer
Dim n_token_sets As Integer
Dim i As Integer, token_set_num As Integer, token_num As Integer
For i = 1 To n_token_groups
token_collection(i).clear
Next i
n_token_groups = 0
If Dir(file) = "" Then
  MsgBox ("File not found")
  Exit Sub
End If
' see if it is on the start_files
' For i = 1 To n_files
'   If start_files(i) = file Then
'     For n = i To n_files - 1
'       start_files(i) = start_files(i + 1)
'       frm_main.files(i).Caption = start_files(i)
'     Next n
'     start_files(n_files) = ""
'     frm_main.files(n_files).Visible = False
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-28

```
' n_files = n_files - 1
' End If
'
' Next i
*****
```

```
For i = 1 To n_files
  If start_files(i) = file Then
' remove it
    For n = i To n_files - 1 Step 1
      start_files(n) = start_files(n + 1)
    Next n
    n_files = n_files - 1
    start_files(n_files + 1) = ""
    Exit For
  End If
Next i
If n_files < 4 Then n_files = n_files + 1
For i = n_files To 2 Step -1
  start_files(i) = start_files(i - 1)
  frm_main.files(i).Caption = start_files(i)
Next i
start_files(1) = file
frm_main.files(1).Caption = start_files(1)
*****
```

Open file For Input As #1

```
Line Input #1, textline 'Number of models =
Line Input #1, textline ' number of models
n_models = Val(textline)
Line Input #1, textline ' number of models
```

```
code = ""
For i = 1 To n_models
  Line Input #1, textline ' number of models
  While Left(textline, 24) <> "##### End of model"
    code = code & textline & vbCrLf
    Line Input #1, textline
  Wend
  frm_main.txt_code = code
Next i
Line Input #1, textline '### end of ga code ###
Line Input #1, textline 'last_gen
Line Input #1, textline
last_gen = Val(textline)
Line Input #1, textline '### Start of genome ###
Line Input #1, textline
If Trim(textline) <> "Genome not defined" Then
  Line Input #1, textline
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-29

```
n_bits = Val(textline)
Line Input #1, textline
Line Input #1, textline
pop_size = Val(textline)
Dim value As Integer
ReDim genome(1 To n_bits, 1 To pop_size)
For i = 1 To n_bits
    For n = 1 To pop_size
        Input #1, value
        genome(i, n) = Val(value)
    Next n
Next i
End If

Line Input #1, textline '### Begining of tokens ###
While Trim(textline) <> "### Begining of tokens ###"
    Line Input #1, textline
Wend
While Trim(textline) <> "### End of tokens ###"

    While Trim(textline) <> "Group stem ="
        Line Input #1, textline
    Wend
    Line Input #1, textline
    n_token_groups = n_token_groups + 1
    token_collection(n_token_groups).stem = Trim(textline) ' i.e., clear
    frm_tokens.lst_token_group.AddItem Trim(textline)
    While Trim(textline) <> "N token sets ="
        Line Input #1, textline
    Wend
    Line Input #1, textline
    n_token_sets = Val(textline)
    While Trim(textline) <> "N tokens ="
        Line Input #1, textline
    Wend
    Line Input #1, textline
    token_collection(n_token_groups).n_tokens = Val(textline)
    While Trim(textline) <> "Token set #"
        Line Input #1, textline
    Wend
    Line Input #1, textline
    token_set_num = Val(textline)
    For n = 1 To n_token_sets
        While Trim(textline) <> "Token set #"
            Line Input #1, textline
        Wend
        Line Input #1, textline
        token_set_num = Val(textline)
        token_collection(n_token_groups).add_token_set frm_tokens.lst_token_sets
        token_num = 0
        For i = 1 To token_collection(n_token_groups).n_tokens

            Line Input #1, textline
            token_num = token_num + 1
            token_collection(n_token_groups).set_token token_set_num, token_num, textline
        Next i
    Next i
End While
End While
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-30

```
Next n
  token_num = 0
  Line Input #1, textline
Wend
frm_tokens.lst_token_group.clear
For i = 1 To n_token_groups
  frm_tokens.lst_token_group.AddItem token_collection(i).stem
Next i
Line Input #1, textline ### Begining of options ###
Line Input #1, textline
While Trim(textline) <> "### End of options ###"

code = Trim(textline)
Line Input #1, textline
textline = Trim(textline)
Select Case code
Case "mutation_rate"
  mutation_rate = Val(textline)
Case "cross_over_freq"
  cross_over_freq = Val(textline)
Case "frame shift prob"
  frame_shift_prob = Val(textline)
Case "n_runs"
  n_runs = Val(textline)
Case "theta_crit"
  theta_crit = Val(textline)
Case "omega_crit"
  omega_crit = Val(textline)
Case "sigma_crit"
  sigma_crit = Val(textline)
Case "cov_crit"
  cov_crit = Val(textline)
Case "success_criteria"
  success_crit = Val(textline)
Case "pop_size"
  pop_size = Val(textline)
Case "generation_limit"
  generation_limit = Val(textline)
Case "call_method"
  call_method = Trim(textline)
Case "upper fitness limit"
  upper_fitness_limit = Trim(textline)
Case "lower_fitness_limit"
  lower_fitness_limit = Trim(textline)
Case "correlation criteria"
  corr_crit = Trim(textline)

Case "save control"
  save_control = Trim(textline)
Case "save best"
  save_best = Trim(textline)
Case "save output"
  save_output = Trim(textline)
Case "omega block"
  omega_block = Trim(textline)
Case "seed type"
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-31

```
seed_type = Trim(textline)
Case "seed value"
seed_value = Trim(textline)
End Select
Line Input #1, textline
Wend
Close #1
'update options

End Sub
',
',
'Sub scale_fitness(fitness() As Single)
''scale by emax, with max fitness at 90% of emax and min fitness at 10% of emax
''first find min and max
'Dim max_fit As Single, min_fit As Single, ef50 As Single, sum_fit As Single
'Dim i As Integer, n As Integer
'Dim emax As Single, emin As Single
'emin = 0.2
'n = UBound(fitness) - LBound(fitness)
'max_fit = -999999
'min_fit = 999999
'For i = LBound(fitness) To UBound(fitness)
' If fitness(i) > max_fit Then max_fit = fitness(i)
' If fitness(i) < min_fit Then min_fit = fitness(i)
' sum_fit = sum_fit + fitness(i)
'Next i
'emax = sum_fit * 2 / n
'ef50 = sum_fit / n
'emin = sum_fit * 0.2 / n
',
'For i = LBound(fitness) To UBound(fitness)
' fitness(i) = emax * fitness(i) ^ 2 / (ef50 ^ 2 + fitness(i) ^ 2) + emin
'Next i
'MsgBox emax & Chr(9) & ef50 & Chr(9) & emin
'End Sub

Private Sub map_run()
Dim n_ind As Integer, this_generation As Integer, max_generation As Integer
Dim max_values() As Integer
Dim mapped_values() As Integer
Dim values() As Integer
Dim binary() As Boolean
Dim n_genes As Integer
Dim n_bits() As Integer
Dim bin_length As Integer
'n_genes = 5
'max_generation = 6
'n_ind = 3
ReDim max_values(1 To n_genes)
ReDim values(1 To n_genes, 1 To n_ind)
ReDim mapped_values(1 To n_genes, 1 To n_ind)
'max_values(1) = 5
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-32

```

'max_values(2) = 2
'max_values(3) = 4
'max_values(4) = 3
'max_values(5) = 9
ReDim binary(1 To 12, 1 To n_ind)
ReDim n_bits(1 To n_genes)
'values(1, 1) = 1: values(1, 2) = 1: values(1, 3) = 5
'values(2, 1) = 2: values(2, 2) = 2: values(2, 3) = 1
'values(3, 1) = 3: values(3, 2) = 3: values(3, 3) = 1
'values(4, 1) = 2: values(4, 2) = 1: values(4, 3) = 3
'values(5, 1) = 7: values(5, 2) = 6: values(5, 3) = 1
,

'n_bits(1) = 3
'n_bits(2) = 1
'n_bits(3) = 2
'n_bits(4) = 2
'n_bits(5) = 4
"generate random
,

Dim new_values() As Integer
Dim fitness() As Single
ReDim fitness(1 To n_ind)
ReDim new_values(1 To n_genes, 1 To n_ind)
Dim p_cross_over As Single, p_mutation As Single
p_cross_over = 0.8: p_mutation = 0.4
'*****'

" loop over generations here
'*****'

For this_generation = 1 To max_generation
' uncode mapped_values, n_bits
' unmap new_values, max_values, mapped_values, n_bits
' 'create control file
' 'evaluate fitness
' fitness(1) = 0.2
' fitness(2) = 0.6
' fitness(3) = 1#
' 'scale fitness
' 'scaler fitness
' 'select pairs by fitness and cross over
' 'cross_over_genes fitness, binary, p_cross_over
' mutate genome, p_mutation
'*****'

" end of generation loop
'*****'

Next this_generation
"map values, max_values, mapped_values, n_bits
"code binary, mapped_values, n_bits
" next we creat the population
,
,

Dim tstr As String, i As Integer
For i = LBound(new_values) To UBound(new_values)
tstr = tstr & new_values(i, 3) & Chr(9) & values(i, 3) & vbCrLf
Next i
"MsgBox tstr
" note that 0000 = 1, 0001 = 2 etc,we start at value = 1

```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-33

End Sub

```

Sub map(values() As Integer, max_values() As Integer, mapped_values() As Integer, n_bits() As Integer)
    'take unmapped values (1 to max_values) to mapped (0 to 2^n genes -1)
    'values() is 2 dimensional, (n_genes by n_subject)
    'max_valus is 1 dimension (n_genes)
    'mapped values is 2 dimensional (n_genes by n_subject)
    'n_bits() is 1 dimensino, (n_genes)
    Dim i As Integer, n As Integer, p As Integer
    'n_bits = 1, max_value = 2;repeat = 0
    ' 1 -> 0 ;2 -> 1
    'n_bits = 2, max_value = 3; repeat = 1
    ' 1 -> 0 ;2 -> 2: 3 -> 3
    'n_bits = 2, max_value = 4; repeat = 0
    ' 1 -> 0 ;2 -> 1: 3 -> 2; 4 -> 3
    'n_bits = 3, max_value = 5; repeat = 3
    ' 1 -> 0 ;2 -> 2: 3 -> 4; 4 -> 6; 5 -> 7
    'n_bits = 3, max_value = 6; repeat = 2
    ' 1 -> 0 ;2 -> 2: 3 -> 4; 4 -> 5; 5->6;6 -> 7
    'n_bits = 3, max_value = 7; repeat = 1
    ' 1 -> 0 ;2 -> 2: 3 -> 3; 4 -> 4; 5 -> 5; 6 -> 6; 7->7
    'n_bits = 3, max_value = 8; repeat = 0
    ' 1 -> 0 ;2 -> 1: 3 -> 2; 4 -> 3; 5 -> 4; 6 -> 5; 7->6; 8->7
    'n_bits = 4, max_value = 9; repeat = 7
    ' 1 -> 0 ;2 -> 2: 3 -> 4; 4 -> 6; 5 -> 8; 6 -> 10; 7->12; 8->14; 9 -> 15
    'n_bits = 4, max_value = 10; repeat = 6
    ' 1 -> 0 ;2 -> 2: 3 -> 4; 4 -> 6; 5 -> 8; 6 -> 10; 7->12; 8->13;9->14; 10 -> 15
    'n_bits = 4, max_value = 11;repeat = 5
    ' 1 -> 0 ;2 -> 2: 3 -> 4; 4 -> 6; 5 -> 8; 6 -> 10; 7->11; 8->12;9->13; 10 -> 14; 11->15
    'n_bits = 4, max_value = 12;repeat = 4
    ' 1 -> 0 ;2 -> 2: 3 -> 4; 4 -> 6; 5 -> 8; 6 -> 9; 7->10; 8->11;9->12; 10 -> 13; 11->14;12->15
    'n_bits = 4, max_value = 13;repeat = 3
    ' 1 -> 0 ;2 -> 2: 3 -> 4; 4 -> 6; 5 -> 7; 6 -> 8; 7->9; 8->10;9->11;10 -> 12;11->13;12->14;13->15
    'n_bits = 4, max_value = 14;repeat = 2
    ' 1 -> 0 ;2 -> 2: 3 -> 4; 4 -> 5; 5 -> 6; 6 -> 7;7->8; 8->9;9->10;10 -> 11;11->12;12->13;13->14;14->15
    Dim repeated As Integer, this_pop As Integer
    For this_pop = 1 To UBound(values, 2)
        For i = LBound(values, 1) To UBound(values, 1)
            repeated = 2 ^ n_bits(i) - max_values(i)
            'want 2 * values up to repeated, then 1 * value
            If values(i, this_pop) <= repeated + 1 Then
                ' mapped_values(i, this_pop) = (values(i, this_pop) - 1) * 2
            Else
                ' mapped_values(i, this_pop) = (repeated) * 2 + (values(i, this_pop) - repeated - 1)
            End If
        Next i
    Next this_pop
End Sub

Sub unmap(values() As Integer, max_values() As Integer, mapped_values() As Integer, n_bits() As Integer)
    'take mapped values (0 to 2^n genes -1) back to unmapped (1 to max_values)
    'values() is 2 dimensional, (n_genes by n_subject)
    'max_valus is 1 dimension (n_genes)
    'mapped values is 2 dimensional (n_genes by n_subject)
    'n_bits() is 1 dimensino, (n_genes)
    Dim i As Integer, repeated As Integer, this_ind As Integer

```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-34

```
For this_ind = 1 To UBound(values, 2)
For i = LBound(values, 1) To UBound(values, 1)
repeated = 2 ^ n_bits(i) - max_values(i)
'have we reached the change over?
If mapped_values(i, this_ind) <= repeated * 2 Then
values(i, this_ind) = mapped_values(i, this_ind) / 2 + 1
Else
values(i, this_ind) = mapped_values(i, this_ind) - repeated + 1
End If
Next i
Next this_ind
End Sub

Sub code(binary() As Boolean, values() As Integer, n_bits() As Integer)
Dim i As Integer, n As Integer, cur_val As Integer, this_ind As Integer
Dim start_pos As Integer, end_pos As Integer
Dim bit_val As Integer 'value of current bit position
start_pos = 1
For this_ind = 1 To UBound(values, 2)

For i = LBound(values, 1) To UBound(values, 1)
end_pos = start_pos + n_bits(i) - 1
cur_val = values(i, this_ind)
For n = start_pos To end_pos
bit_val = 2 ^ (end_pos - n)
If cur_val >= bit_val Then
binary(n, this_ind) = True
cur_val = cur_val - bit_val
End If
Next n
start_pos = end_pos + 1
Next i
start_pos = 1
Next this_ind
End Sub

Sub uncode(values() As Integer, n_bits() As Integer)
'takes genome and returns the values used for the control file
'need to know how many bits in each gene (token group)
Dim i As Integer, n As Integer, cur_val As Integer, this_ind As Integer
Dim start_pos As Integer, end_pos As Integer
Dim bit_val As Integer 'value of current bit position
For this_ind = 1 To UBound(values, 2)
start_pos = 1
For i = LBound(values, 1) To UBound(values, 1)
end_pos = start_pos + n_bits(i) - 1
For n = start_pos To end_pos
bit_val = 2 ^ (end_pos - n)
If genome(n, this_ind) = True Then
cur_val = cur_val + bit_val
End If
Next n
values(i, this_ind) = cur_val
cur_val = 0
start_pos = end_pos + 1
Next i
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-35

```
start_pos = 1
Next this_ind
End Sub
```

```
Sub mutate(binary() As Boolean, p_mutation As Single)
Dim this_gene As Integer, this_ind As Integer
For this_gene = 1 To UBound(binary, 1)
  For this_ind = 1 To UBound(binary, 2)
    If Rnd() < p_mutation Then binary(this_gene, this_ind) = Not (binary(this_gene, this_ind))
  Next this_ind
Next this_gene
End Sub
```

```
Function InStr_not(string1 As String, string2 As String, string3 As String)
Dim position1 As Long, position2 As Long, start As Long
start = 1
'frm_test.Text1 = string1
'frm_test.Show 1
position1 = InStr(start, string1, string2)
position2 = InStr(start, string1, string3)
While position1 > 0
  If position2 <= position1 And position2 + Len(string3) >= position1 + Len(string2) Then
    start = start + position1
  End If
  position1 = InStr(start, string1, string2)
  position2 = InStr(start, string1, string3)
Wend
InStr_not = position1
End Function
```

```
Function from_to(start As Long, string1 As String, from_string As String, to_string As String) As String
' this function return the string that starts with from_string and ends with to_string,
' starting the search at start
Dim new_string As String
Dim start_pos As Long, end_pos As Long
' find the start
start_pos = InStr(start, string1, from_string)
' then the end position
end_pos = InStr(start_pos, string1, to_string)
new_string = Mid(string1, start_pos, end_pos + Len(to_string))
```

```
from_to = new_string
End Function
```

```
Public Function call_nm(drivename As String, pathname As String, controlfile As String, _
  obj1 As Single, succ1 As Integer, covar As Integer, limit_str As String, check_out As Boolean) As
Double
Dim fitness As Double
Dim theta(1 To max_theta) As Single, setheta(1 To max_theta) As Single
Dim lltheta(1 To max_theta) As Single, ultheta(1 To max_theta) As Single
Dim omega(1 To 30, 1 To 30) As Single, seomega(1 To 30, 1 To 30) As Single
Dim sigma(1 To 30, 1 To 30) As Single, sesigma(1 To 30, 1 To 30) As Single
Dim obj(1 To 2) As Single, rm(1 To 69, 1 To 69) As Single
Dim i As Integer
Dim success(1 To 2) As Single
success(1) = 999
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-36

```
success(2) = 999
Dim a As Long, p As Integer, ntheta As Integer
Dim out_val As Single
ChDrive drivename
ChDir pathname
If controlfile <> "control" Then FileCopy controlfile, "control"
'need to sent check_out to nmv_exe if false then don't execute
a = nmv_exe(theta(1), lltheta(1), ultheta(1), omega(1, 1), sigma(1, 1), obj(1), success(1), setheta(1), _
    seomega(1, 1), sesigma(1, 1), rm(1, 1))
    fitness = calc_fitness(obj(), success(), setheta(), seomega(), sesigma(), rm(), _
        theta_crit, omega_crit, sigma_crit, cov_crit, ntheta)
run_number = run_number + 1
'hit upper of lower limits?

For i = 1 To ntheta
    If theta(i) <> 0 Then 'check for divide by zero
        If Abs(theta(i) - lltheta(i) / theta(i)) < 0.00000001 Or _
            Abs(theta(i) - ultheta(i) / theta(i)) < 0.00000001 Then
            limit_str = limit_str & Trim(i) & ", "
        End If
    End If
Next i
obj1 = obj(1): succ1 = success(1): covar = success(2)
call_nm = fitness
End Function

Private Function calc_fitness(obj() As Single, success() As Single, setheta() As Single, _
    seomega() As Single, sesigma() As Single, rm() As Single, _
    theta_crit As Single, omega_crit As Single, sigma_crit As Single, _
    cov_crit As Single, ntheta As Integer) As Single

' return calculated value for fitness, start with obj, subtract theta_crit for each estimated theta etc
Dim i As Integer, neff As Integer, n As Integer
Dim nsigma As Integer
Dim corr_pen As Single 'correlation > 0.95 penalty
Dim cov_pen As Single
'count theta, etas and sigmas
'read from file inputs, created by cfilex (and thetas) in nmtran
Dim iline As String
Dim s_pen As Single
Dim nomega_sets As Integer, nomega As Integer
Dim nsigma_sets As Integer
Dim fixd As Integer, block_num As Integer, nval As Integer
Dim nthfxd As Integer, nomfxd As Integer, nsgfxd As Integer
MsgBox CurDir
If Dir("INPUTS", vbNormal) <> "" Then
    Open "inputs" For Input As #1
    Else
        calc_fitness = 999999999.99
        obj(1) = 999999999.99
    Exit Function
    End If
    Line Input #1, iline
    'FIRST LINE IS " NTHETA, NOMEGA, NSIGMA, NTHFXD, NOMFXD, NSGFXD"
    Input #1, ntheta, nomega_sets, nsigma_sets, nthfxd, nomfxd, nsgfxd
    Line Input #1, iline
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-37

```
'THIRD LIND IS " NOMBLK , OMDIM, OMFIX"
For i = 1 To nomega_sets
Input #1, block_num, nval, fixd
'get # of etas in block
If fixd = 0 Then
  For n = 1 To nval
    nomega = nomega + n
  Next n
End If 'fixd = 0
Next i

Line Input #1, iline
For i = 1 To nsigma_sets
Input #1, block_num, nval, fixd
nsigma = nsigma + nval * (1 - fixd)
Next i
'loop through srm to see if any are larger than 0.95
neff = ntheta + nomega + nsigma
corr_pen = 0
If success(2) = 0 Then 'only do if cov step ran
  For i = 1 To neff
    For n = 1 To i - 1 'only do lower triangle
      If rm(i, n) > 0.95 Then
        corr_pen = corr_crit
      Exit For
    End If
  Next n
  If corr_pen > 0 Then Exit For
Next i
End If
'now calculate fitness
If success(2) > 0 Then
cov_pen = cov_crit
Else
cov_pen = 0
End If
If success(1) > 0 Then
s_pen = success_crit
cov_pen = cov_crit
Else
s_pen = 0
End If
calc_fitness = obj(1) + theta_crit * ntheta + omega_crit * nomega _
  + sigma_crit * nsigma + cov_pen + corr_pen + s_pen

Close #1
End Function
Private Sub get_files(files)
files(1) = "nonmem.dll"
files(2) = "freport"
files(3) = "nonmem.lib"
files(4) = "nonmem.exp"
files(5) = "FWARN"
files(6) = "PRDERR"
files(7) = "fsubs"
files(8) = "fsubs.obj"
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-38

```
files(9) = "link.lnk"
```

```
End Sub
```

```
Private Sub wait(filename As String)
```

```
Dim list As String, flen As Long
```

```
list = Dir(CurDir() & "\" & filename, vbNormal)
```

```
If list <> "" Then flen = FileLen(filename)
```

```
While flen = 0
```

```
DoEvents
```

```
list = Dir(CurDir() & "\" & filename, vbNormal)
```

```
If list <> "" Then flen = FileLen(filename)
```

```
Wend
```

```
End Sub
```

```
Sub scale_fitness(new_fitness() As Single, temp_fitness() As Single)
```

```
' linearly between mean = 2sd = 0.3 and mean + 2sd = 2
```

```
' Note that a higher obj is a lower fitness
```

```
' first find the geometric mean fitness and subtract all values from that.
```

```
Dim i As Integer, n As Integer
```

```
Dim sd As Single, slope As Single, b As Single, mean As Single
```

```
i = UBound(temp_fitness)
```

```
Dim sumx As Single, sumxx As Single
```

```
' get sd
```

```
Dim fitness() As Single
```

```
Dim min As Single ' need minimum to assign value when no obj
```

```
Dim max As Single '
```

```
max = -9999999
```

```
min = 9999999
```

```
ReDim fitness(i)
```

```
For n = 1 To i
```

```
If temp_fitness(n) < min And temp_fitness(n) > -99999999 Then min = temp_fitness(n)
```

```
If temp_fitness(n) > max And temp_fitness(n) < 99999999 Then max = temp_fitness(n)
```

```
fitness(n) = temp_fitness(n)
```

```
Next n
```

```
' now go through and assign min - (0.1)*(max - min) to the unsuccessful
```

```
Dim high As Single
```

```
high = max + 0.1 * (max - min)
```

```
For n = 1 To i
```

```
If fitness(n) > 99999999 Then fitness(n) = high
```

```
Next n
```

```
For n = 1 To i
```

```
sumx = sumx + fitness(n)
```

```
Next n
```

```
mean = sumx / i
```

```
' now replace fitness with mean - fitness
```

```
sumx = 0
```

```
For n = 1 To i
```

```
fitness(n) = mean - fitness(n)
```

```
Next n
```

```
' now get sd of transformed fitness
```

```
For n = 1 To i
```

```
sumx = sumx + fitness(n)
```

```
sumxx = sumxx + fitness(n) * fitness(n)
```

```
Next n
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-39

```
mean = sumx / i
If i > 1 Then
sd = Sqr((i * sumxx - (sumx * sumx)) / (i * (i - 1)))
Else
sd = 0
End If
'now draw line from (mean - 2d, lower limit) and (mean + 2sd, upper limit)
If sd = 0 Then
slope = 0
Else
slope = (upper_fitness_limit - lower_fitness_limit) / (4 * sd)
' y = mx + b
' b = y - mx
b = 1 - slope * mean
End If
For n = 1 To i
new_fitness(n) = b + slope * fitness(n)
If new_fitness(n) < lower_fitness_limit Then new_fitness(n) = lower_fitness_limit
If new_fitness(n) > upper_fitness_limit Then new_fitness(n) = upper_fitness_limit

Next n
'Open "c:\ga\fitness" For Output As #1
Dim n_pop As Integer
For n_pop = 1 To i
Write #1, temp_fitness(n_pop); new_fitness(n_pop)
Next n_pop
'Close #1
End Sub

Sub select_pairs(pairs() As Integer, cum_fitness() As Single)
' select individuals based on fitness, put them into pairs
Dim rand As Single, i As Integer, p As Integer, n As Integer, n_ind As Integer
' Open "c:\ga\pairs" For Output As #1
n_ind = UBound(cum_fitness) / 2
For i = 1 To 2
For n = 1 To n_ind
rand = Rnd()
p = 1
While rand > cum_fitness(p)
p = p + 1
Wend
pairs(i, n) = p
' Print #1, rand; cum_fitness(p); p
Next n
Next i
'Close #1
End Sub

Sub load_data(sheet As vaSpread, dir_name As String)
frm_graphics.CommonDialog1.filename = dir_name & "\*.dat"
Dim Data() As Single, temp As String, varname As String, tmp_num As Integer
Dim data_row() As Single, mdv_col As Integer, n_col As Integer
Dim row_string As String
Dim this_col As Integer, this_row As Integer
Dim next_position As Integer, last_position As Integer
frm_graphics.CommonDialog1.DialogTitle = "NONMEM graphics"
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-40

```
frm_graphics.CommonDialog1.ShowOpen
If InStr(1, frm_graphics.CommonDialog1.filename, "*") <> 0 Then Exit Sub
If Dir(frm_graphics.CommonDialog1.filename, vbDirectory) = "" Then
MsgBox ("File not found")
Exit Sub
End If

frm_graphics.lst_x_axis.clear
frm_graphics.lst_y_axis.clear
frm_graphics.lst_sort_col.clear
Open frm_graphics.CommonDialog1.filename For Input As #1
'find start of table
While Left(Trim(temp), 12) <> "TABLE NO. 1"
Line Input #1, temp
Wend
frm_graphics.Show
'read headers
temp = Input(1, #1)
frm_graphics.spr_data.row = 0
'read whole line then search for tokens
Line Input #1, row_string
'at least position 11 has to be character
next_position = InStr(11, row_string, " ")
last_position = 1
'find the mdv column
Do While next_position <> 0
    this_col = this_col + 1
    varname = Mid(row_string, last_position, next_position - last_position)
    'if varname is not alpha, there are no variable names
    If IsError(Val(varname)) Then
        MsgBox ("No variable names, next time please use the ""One Header"" option")
        Exit Do
    End If
    If Trim(varname) = "MDV" Then mdv_col = this_col
    frm_graphics.spr_data.col = this_col
    frm_graphics.spr_data.value = Trim(varname)
    frm_graphics.lst_x_axis.AddItem Trim(varname)
    frm_graphics.lst_y_axis.AddItem Trim(varname)
    frm_graphics.lst_sort_col.AddItem Trim(varname)
    last_position = next_position + 1
    'find next space in row
    next_position = InStr(last_position + 1, row_string, " ")
Loop
'then one more
this_col = this_col + 1
If mdv_col = 0 Then
MsgBox ("No MDV column found, all data will be displayed")
End If
varname = Mid(row_string, last_position, Len(row_string) - last_position + 1)
If Trim(varname) = "MDV" Then mdv_col = this_col
frm_graphics.spr_data.col = this_col
frm_graphics.spr_data.value = Trim(varname)
frm_graphics.lst_x_axis.AddItem Trim(varname)
frm_graphics.lst_y_axis.AddItem Trim(varname)
frm_graphics.lst_sort_col.AddItem Trim(varname)
n_col = this_col
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-41

```
ReDim data_row(1 To n_col)
'read data'
While EOF(1) = False
Input #1, row_string
For this_col = 1 To n_col
data_row(this_col) = Val(Mid(row_string, 1 + (this_col - 1) * 12, 12))
Next this_col
If mdv_col <> 0 Then 'can we check if mdv = 1?
If data_row(mdv_col) = 0 Then
this_row = this_row + 1
' use data
frm_graphics.spr_data.row = this_row
For this_col = 1 To n_col
frm_graphics.spr_data.col = this_col
frm_graphics.spr_data.value = data_row(this_col)
Next this_col
End If
Else
' use it regardless if mdv not present
this_row = this_row + 1
frm_graphics.spr_data.row = this_row
For this_col = 1 To n_col
frm_graphics.spr_data.col = this_col
frm_graphics.spr_data.value = data_row(this_col)
Next this_col
End If
Wend
Close #1
frm_graphics.spr_data.MaxRows = this_row
frm_graphics_interface.Show
End Sub

Sub scan_tokens()
'look for (), (1-0), unmatched (), unmatched {}, {}, {}, {}
'only if they occur before a ";" in the token
Dim short_token As String, token As String, i As Integer, ok As Boolean
Dim this_token_group As Integer, this_token_set As Integer, this_token As Integer
Dim pos1 As Integer, pos2 As Integer
ok = True
For this_token_group = 1 To n_token_groups
For this_token_set = 1 To token_collection(this_token_group).n_token_sets
For this_token = 1 To token_collection(this_token_group).n_tokens
token = token_collection(this_token_group).get_token(this_token_set, this_token)
'first get the part left of ";"
If InStr(token, ";") = 0 Then
short_token = token
Else
short_token = Left(token, InStr(1, token, ";") - 1)
End If
'look for THETA(1-0)x
For i = 0 To 9
If InStr(UCase(short_token), "ETA(" & Trim(str(i)) & ")") <> 0 Then
MsgBox ("Number " & str(i) & " in token = " & token & " stem = " &
token_collection(this_token_group).stem & _
" Token set # " & this_token_set & " Token # " & this_token)
ok = False

```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-42

```
End If
If InStr(UCASE(short_token), "EPS(" & Trim(str(i)) & ")") <> 0 Then
    MsgBox ("Number " & str(i) & " in token = " & token & " stem = " &
token_collection(this_token_group).stem & _
    " Token set # " & this_token_set & " Token # " & this_token)
    ok = False
End If
Next i
' check for unbalance ( ) have to loop through until all ( are found
' before next (
pos1 = 1 'position of first (
pos2 = 1 'position of next (
While InStr(pos1 + 1, short_token, "(") <> 0
    pos1 = InStr(pos1 + 1, short_token, "(")
    If pos1 > 0 Then
        If InStr(pos1, short_token, ")") = 0 Then
            MsgBox ("Unmatched ( in " & token & " stem = " & token_collection(this_token_group).stem & _
                " Token set # " & this_token_set & " Token # " & this_token)
            ok = False
        End If
    End If
End If
Wend
Next this_token
Next this_token_set
Next this_token_group
If ok = True Then MsgBox "No errors found"
End Sub
```

```
Public Function make_int(this_ind As Integer) As Double
'need to start with binary (genome) not values
Dim this_digit As Integer, length_genome As Integer, rval As Double
length_genome = UBound(genome, 1)
For this_digit = 1 To length_genome
    If genome(this_digit, this_ind) = True Then rval = rval + 2 ^ (this_digit - 1)
Next this_digit
make_int = rval
End Function
Public Sub clear_form(Form As vaSpread)
Dim this_row As Integer, this_col As Integer
With Form
    For this_row = 1 To n_runs
        .row = this_row
        For this_col = 1 To 8
            .col = this_col
            .text = ""
        Next this_col
    Next this_row
End With
End Sub
```

```
Public Sub get_stats(directory As String, obj As Single, fitness As Single, covar As Boolean, success As
Boolean)
' read the files parms and return the statistics, send to calc_fitness
ChDir directory
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-43

```
Close #1
If Dir("PARMS", vbNormal) <> "" Then
Open "PARMS" For Input As #1
End If
Close #1
End Sub
Public Function check_token(box As TextBox) As Boolean
check_token = True
Dim temp_str As String
Dim n_parens As Integer
Dim pos As Integer
temp_str = box.text
pos = InStr(1, temp_str, " ")
While pos <> 0
temp_str = Left(temp_str, pos - 1) & _
    Right(temp_str, Len(temp_str) - pos)
pos = InStr(1, temp_str, " ")
Wend
box.text = temp_str
pos = InStr(1, temp_str, "(")
While pos <> 0
n_parens = n_parens + 1
temp_str = Left(temp_str, pos - 1) & _
    Right(temp_str, Len(temp_str) - pos)
pos = InStr(1, temp_str, "(")
Wend
' now subtract one for each ")"
pos = InStr(1, temp_str, ")")
While pos <> 0
n_parens = n_parens - 1
temp_str = Left(temp_str, pos - 1) & _
    Right(temp_str, Len(temp_str) - pos)
pos = InStr(1, temp_str, ")")
Wend
If n_parens > 0 Then
MsgBox "Too many "("s"
box.SelStart = InStr(1, box.text, "(") - 1
box.SelLength = 1
check_token = False
Exit Function
End If
If n_parens < 0 Then
MsgBox "Too many ")"s"
box.SelStart = InStr(1, box.text, ")") - 1
box.SelLength = 1
check_token = False
Exit Function
End If
' and now the { }
temp_str = box.text
pos = InStr(1, temp_str, "{")
While pos <> 0
n_parens = n_parens + 1
temp_str = Left(temp_str, pos - 1) & _
    Right(temp_str, Len(temp_str) - pos)
pos = InStr(1, temp_str, "{")
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-44

```
Wend
' now subtract one for each ")"
pos = InStr(1, temp_str, ")")
While pos <> 0
  n_parens = n_parens - 1
  temp_str = Left(temp_str, pos - 1) & _
    Right(temp_str, Len(temp_str) - pos)
  pos = InStr(1, temp_str, ")")
Wend
If n_parens > 0 Then
  MsgBox "Too many ""{""s"
  box.SelStart = InStr(1, box.text, "{") - 1
  box.SelLength = 1
  check_token = False
  Exit Function
End If
If n_parens < 0 Then
  MsgBox "Too many ""}""s"
  box.SelStart = InStr(1, box.text, "}") - 1
  box.SelLength = 1
  check_token = False
  Exit Function
End If
End Function

Public Sub load_results(spread As vaSpread, chart As MSChart)
' recurse through the directories, calculate the fitness for each run and write to spread sheet
Dim i As Integer
Dim n_ind As Integer, this_ind As Integer
Dim cur_gen_dir As String, cur_ind_dir As String, this_row As Integer
Dim obj(1 To 2) As Single, success(1 To 2) As Single, covar As Boolean
Dim fitness() As Double, scaled_fitness() As Single, temp_fitness() As Single
Dim n_gen As Integer, max_ind As Integer, max_gen As Integer, max_x As Single
' how many individuals
this_gen = 1: this_ind = 1: max_gen = 0: max_ind = 0
this_row = 0
'cur_gen_dir = home_directory & "\" & Trim(str(this_gen))
'cur_ind_dir = cur_gen_dir & "\" & Trim(str(this_ind))
For this_gen = 1 To last_gen
  While Dir(cur_gen_dir, vbDirectory) = Trim(str(this_gen))
    ' If this_gen > max_gen Then max_gen = this_gen
    ' While Dir(cur_ind_dir, vbDirectory) = Trim(str(this_ind))
    ' If this_ind > max_ind Then max_ind = this_ind
    ' this_ind = this_ind + 1
    ' cur_ind_dir = cur_gen_dir & "\" & Trim(str(this_ind))
    ' Wend 'cur_ind_dir
    this_ind = 1

    'cur_gen_dir = home_directory & "\" & Trim(str(this_gen))
  Next this_gen
  this_gen = last_gen
Wend 'cur_gen_dir
ReDim fitness(1 To pop_size)
ReDim scaled_fitness(1 To pop_size): ReDim temp_fitness(1 To pop_size)
' initialize plot axis for generations
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-45

```
frm_main.spr_result.MaxRows = pop_size * generation_limit
max_x = generation_limit
initialize_plot generation_limit
this_gen = 1: this_ind = 1
For this_gen = 1 To last_gen
    cur_gen_dir = home_directory & "\" & Trim(str(this_gen))
    While Dir(cur_gen_dir, vbDirectory) = Trim(str(this_gen))
        ' While Dir(cur_ind_dir, vbDirectory) = Trim(str(this_ind))
        For this_ind = 1 To pop_size
            cur_ind_dir = cur_gen_dir & "\" & Trim(str(this_ind))
            ' we need obj success, covar, fitness, boundary for theta.
            ' the calc scaled fitness
            ' read input, parms
            read_results cur_ind_dir, obj, success, covar, fitness(this_ind)
            this_row = this_row + 1
            With frm_main.spr_result
                .row = this_row
                .col = 1: .text = obj(1)
                .col = 2: If success(1) = 0 Then .text = "Yes" Else .text = "No"
                .col = 3: If success(2) = 0 Then .text = "Yes" Else .text = "No"
                .col = 4: .text = fitness(this_ind)
                .col = 8: .text = this_gen
                .col = 9: .text = this_ind
            End With
            temp_fitness(this_ind) = fitness(this_ind)
            ' this_ind = this_ind + 1
            ' cur_ind_dir = cur_gen_dir & "\" & Trim(str(this_ind))
        Next this_ind ' end of individual while

scale_fitness scaled_fitness(), temp_fitness()
' update plot
update_plot temp_fitness(), scaled_fitness()
' this_gen = this_gen + 1
' cur_gen_dir = home_directory & "\" & Trim(str(this_gen))
' this_ind = 1
' cur_ind_dir = cur_gen_dir & "\" & Trim(str(this_ind))
Next this_gen
run_number = last_gen * pop_size
frm_main.pgb_gen = last_gen
frm_main.pgb_gen.max = generation_limit
frm_main.pgb_ind.max = pop_size

frm_main.pgb_ind = 1

'Wend 'end of generation while
MsgBox frm_main.spr_result.MaxRows
End Sub

Sub read_results(this_dir As String, ByRef obj() As Single, ByRef success() As Single, covar As Boolean,
fitness As Double)
    Dim theta(1 To max_theta) As Single, setheta(1 To max_theta) As Single
    Dim ntheta As Integer, nomega As Integer, nsigma As Integer, ntheta_fixed As Integer, nomega_fixed As
Integer, nsigma_fixed As Integer
    Dim lltheta(1 To max_theta) As Single, ultheta(1 To max_theta) As Single
    Dim omega(1 To 30, 1 To 30) As Single, seomega(1 To 30, 1 To 30) As Single
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-46

```
Dim sigma(1 To 30, 1 To 30) As Single, sesigma(1 To 30, 1 To 30) As Single
Dim rm(1 To 69, 1 To 69) As Single
Dim i As Integer, temp As String, n As Integer

success(1) = 999
success(2) = 999
ChDir this_dir
'read from inputs
If Dir("inputs", vbNormal) <> "" Then
Open "inputs" For Input As #1
Line Input #1, temp
Input #1, ntheta, nomega, nsigma, ntheta_fixed, nomega_fixed, nsigma_fixed
Close #1
End If
If Dir("parms", vbNormal) <> "" Then
'read in obj, success, covar, setheta, seomega
Open this_dir & "\ & "parms" For Input As #1
temp = Input(4, #1)
Input #1, obj(1)
temp = Input(9, #1)
Input #1, success(1), success(2)
For i = 1 To 6
Line Input #1, temp
Next i
For i = 1 To ntheta
Input #1, lltheta(i), ultheta(i)
Next i
Line Input #1, temp
For i = 1 To ntheta
Input #1, theta(i)
Next i
Line Input #1, temp
For i = 1 To nomega
For n = 1 To nomega
Input #1, omega(i, n)
Next n
temp = Input(2, #1) 'crlf
Next i
Line Input #1, temp
For i = 1 To nsigma
For n = 1 To nsigma
Input #1, sigma(i, n)
Next n
' If Not (EOF(1)) Then Input #1, temp
Next i
'only read se's and rm if successfull

If success(2) = 0 Then
'read rm and se here
End If
Close #1

fitness = calc_fitness(obj(), success(), setheta(), seomega(), sesigma(), rm(), _
theta_crit, omega_crit, sigma_crit, cov_crit, ntheta)

Else
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-47

Exit Sub
End If
Close 1
End Sub

```
Function count_max_omega() As Integer
' go to the tokens and find how many unique omegas are there.
' count the number of unique ETA(??) where ?? is A - AZ
Dim used_eta(1 To 52) As Boolean
Dim this_eta As Integer, token_string As String, check_string As String
Dim this_token_group As Integer, this_token_set
Dim n_omega As Integer, n_token_sets As Integer
Dim this_token As Integer, n_tokens As Integer
Dim test_string As String, n_sets As Integer
Dim control_string As String, n_token_omegas ' number of omegas in tokens (ie., "A")
control_string = UCase(frm_main.txt_code)
' well assume there are less than 10 omegas in the control file and less than 27 on the token sets
test_string = "ETA(" & Trim(Chr(49)) & ")"
' change all the THETAs to xxx
control_string = sub_string(control_string, "THETA", "XXXXXX")
While InStr(1, control_string, test_string) <> 0 And n_omega < 10
    n_omega = n_omega + 1
    test_string = "ETA(" & Trim(Chr(49 + n_omega)) & ")"
Wend
For this_token_group = 1 To n_token_groups
    n_token_sets = token_collection(this_token_group).n_token_sets
    For this_token_set = 1 To n_token_sets
        ' loop through set to see if it is used
        n_tokens = token_collection(this_token_group).n_tokens
        For this_token = 1 To n_tokens
            token_string = token_string & vbCrLf & token_collection(this_token_group).get_token(this_token_set,
this_token)
        Next this_token
    Next this_token_set
Next this_token_group
' get rid of THETA (to XXXXX)
token_string = sub_string(token_string, "THETA", "XXXXXX")
' frm_text.txt_text = token_string
' frm_text.Show 1, frm_main
test_string = "{ETA(" & Trim(Chr(65)) & ")}"
While InStr(1, token_string, test_string) <> 0
    n_token_omegas = n_token_omegas + 1
    test_string = "{ETA(" & Trim(Chr(64 + n_token_omegas)) & ")}"
Wend
count_max_omega = n_omega + n_token_omegas
End Function
```

```
Function count_etan(control As String) As Integer
Dim control_string As String, test_string As String
Dim test_n As Integer
control_string = UCase(control)
' well assume there are less than 10 omegas in the control file and less than 27 on the token sets
test_n = 1
test_string = "ETA(" & Trim(str(test_n)) & ")"
' change all the THETAs to xxx
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-48

```
control_string = sub_string(control_string, "THETA", "XXXXXX")
While InStr(1, control_string, test_string) <> 0 And n_omega < 10
    test_n = test_n + 1
    test_string = "ETA(" & Trim(str(test_n)) & ")"
Wend
count_etan = test_n - 1
End Function
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-49

File token_group.cls

```
VERSION 1.0 CLASS
BEGIN
    MultiUse = -1    'True
END
Attribute VB_Name = "token_group"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = True
Attribute VB_PredeclaredId = False
Attribute VB_Exposed = False
Attribute VB_Ext_KEY = "SavedWithClassBuilder" , "Yes"
Attribute VB_Ext_KEY = "Top_Level" , "Yes"
'local variable(s) to hold property value(s)
Private local_stem As String 'local copy
Private local_n_tokens As Integer ' number of tokens in set , e.g.,
theta(next), (0,1,100) = 2 tokens
Private local_n_token_sets As Integer
Private token_sets(1 To 50, 1 To 10) As String
Option Explicit

Public Sub remove_token_set(ByVal position As Integer)
Dim row As Integer, col As Integer
For row = position To local_n_token_sets - 1
    For col = 1 To n_tokens
        token_sets(row, col) = token_sets(row + 1, col)
    Next col
Next row
local_n_token_sets = local_n_token_sets - 1
End Sub

'Private all_sets As Collection
Public Sub add_token_set(lst_sets As ListBox)
local_n_token_sets = local_n_token_sets + 1
get_token_set lst_sets
End Sub
Public Property Get stem() As String
    stem = local_stem
End Property
Public Property Let stem(ByVal lstem As String)
    local_stem = lstem
End Property

Public Property Get n_tokens() As Integer
    n_tokens = local_n_tokens
End Property
Public Property Get n_token_sets() As Integer
    n_token_sets = local_n_token_sets
End Property
Public Property Let n_tokens(n As Integer)
    local_n_tokens = n
End Property

Public Sub get_token_set(this_list As ListBox)
Dim i As Integer, n As Integer
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-50

```
Dim tok_str As String
this_list.clear
For i = 1 To local_n_token_sets
    tok_str = i & " "
    For n = 1 To local_n_tokens
        tok_str = tok_str & "(" & token_sets(i, n) & ") "
    Next n
this_list.AddItem tok_str
Next

End Sub

Public Sub get_tokens(this_list As ListBox, this_token_set As Integer)
Dim i As Integer
this_list.clear
If this_token_set <> 0 Then
    For i = 1 To local_n_tokens
        this_list.AddItem "(" & token_sets(this_token_set, i) & ") "
    Next i
End If
End Sub

Public Sub get_tokens_lines(this_list As ListBox, this_token_set As Integer)
Dim i As Integer
Dim str As String
Dim start As Integer, last As Integer
this_list.clear
For i = 1 To local_n_tokens
    str = token_sets(this_token_set, i)
    While InStr(1, str, "{crlf}") <> 0
        start = InStr(1, str, "{crlf}")
        last = Len(str) - InStr(1, str, "{crlf}") + Len("{crlf}")
        str = Trim(Left(str, start) & vbCrLf & _
            Trim(Right(str, last)))
    Wend
    this_list.AddItem "(" & str & ") "
Next i
End Sub

Public Function get_token(ByVal set_num As Integer, ByVal token_num As Integer) As String
get_token = token_sets(set_num, token_num)
End Function

Public Function get_token_with_lines(ByVal set_num As Integer, ByVal token_num As Integer) As String
Dim str As String
Dim start As Integer, last As Integer
str = token_sets(set_num, token_num)
While InStr(1, str, "{crlf}") <> 0
    start = InStr(1, str, "{crlf}") - 1
    last = Len(str) - InStr(1, str, "{crlf}") - Len("{crlf}") + 1
    str = Trim(Left(str, start) & vbCrLf & _
        Trim(Right(str, last)))
Wend

get_token_with_lines = str
End Function
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-51

```
Public Sub set_token(ByVal set_num As Integer, ByVal token_num As Integer, value As String)
' we need to replace crlf by another character - {crlf}
Dim start As Integer, last As Integer
While InStr(1, value, vbCrLf) <> 0
start = InStr(1, value, vbCrLf) - 1
last = Len(value) - start - 2
value = Trim(Left(value, start)) & "{crlf}" & _
Trim(Right(value, last))
Wend
token_sets(set_num, token_num) = value

End Sub

Public Sub clear()
Dim i As Integer, n As Integer
For i = 1 To n_token_sets
For n = 1 To n_tokens
token_sets(i, n) = ""
Next n
Next i
local_n_token_sets = 0
local_n_tokens = 0
local_stem = ""
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-52

File frm_main.frm

```
VERSION 5.00
Object = "{B02F3647-766B-11CE-AF28-C3A2FBE76A13}#2.5#0"; "SS32X25.OCX"
Object = "{02B5E320-7292-11CF-93D5-0020AF99504A}#1.0#0"; "MSCHART.OCX"
Object = "{BDC217C8-ED16-11CD-956C-0000C04E4C0A}#1.1#0"; "TABCTL32.OCX"
Object = "{6B7E6392-850A-101B-AFC0-4210102A8DA7}#1.2#0"; "COMCTL32.OCX"
Object = "{F9043C88-F6F2-101A-A3C9-08002B2F49FB}#1.1#0"; "Comdlg32.ocx"
Begin VB.Form frm_main
    Caption           = "NONMEM GA"
    ClientHeight      = 9120
    ClientLeft        = 2310
    ClientTop         = 1815
    ClientWidth       = 12825
    Icon              = "frm_main.frx":0000
    LinkTopic         = "Form1"
    ScaleHeight       = 9120
    ScaleWidth        = 12825
    Begin MSComDlg.CommonDialog CommonDialog1
        Left          = 240
        Top           = 6000
        _ExtentX      = 847
        _ExtentY      = 847
        _Version      = 327680
    End
    Begin VB.Frame Frame1
        Height         = 615
        Left           = 7920
        TabIndex       = 9
        Top            = 8400
        Width          = 2055
        Begin VB.OptionButton Opt_resume
            Caption     = "Resume"
            Enabled     = 0 'False
            Height      = 255
            Left        = 960
            TabIndex    = 11
            Top         = 240
            Value       = -1 'True
            Width       = 975
        End
        Begin VB.OptionButton opt_pause
            Caption     = "Pause"
            Height      = 255
            Left        = 120
            TabIndex    = 10
            Top         = 240
            Width       = 1215
        End
    End
    Begin VB.CommandButton but_stop_run
        Caption       = "Stop Run"
        Height        = 375
        Left          = 6840
        TabIndex      = 3
        Top           = 8520
    End
End
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-53

```
Width          = 855
End
Begin TabDlg.SSTab SSTab1
  Height        = 8295
  Left          = 360
  TabIndex      = 0
  Top           = 0
  Width         = 12255
  _ExtentX      = 21616
  _ExtentY      = 14631
  _Version      = 393216
  TabOrientation = 3
  Tab           = 2
  TabHeight     = 520
  BeginProperty Font {0BE35203-8F91-11CE-9DE3-00AA004BB851}
    Name        = "Arial"
    Size         = 11.25
    Charset      = 0
    Weight       = 400
    Underline    = 0 'False
    Italic       = 0 'False
    Strikethrough = 0 'False
  EndProperty
  TabCaption(0) = "Control"
  TabPicture(0) = "frm_main.frx":0442
  Tab(0).ControlEnabled= 0 'False
  Tab(0).Control(0)= "txt_code"
  Tab(0).ControlCount= 1
  TabCaption(1) = "Result Plot"
  TabPicture(1) = "frm_main.frx":045E
  Tab(1).ControlEnabled= 0 'False
  Tab(1).Control(0)= "MSChart1"
  Tab(1).ControlCount= 1
  TabCaption(2) = "Results table"
  TabPicture(2) = "frm_main.frx":047A
  Tab(2).ControlEnabled= -1 'True
  Tab(2).Control(0)= "spr_result"
  Tab(2).Control(0).Enabled= 0 'False
  Tab(2).ControlCount= 1
  Begin VB.TextBox txt_code
    Height        = 7815
    Left          = -74160
    MultiLine     = -1 'True
    ScrollBars    = 2 'Vertical
    TabIndex      = 7
    Top           = 240
    Width         = 9495
  End
  Begin MSChartLib.MSChart MSChart1
    Height        = 7815
    Left          = -74880
    OleObjectBlob = "frm_main.frx":0496
    TabIndex      = 1
    Top           = 120
    Width         = 10815
  End
  Begin FPSpread.vaSpread spr_result
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-54

```
Height          = 7935
Left            = 240
TabIndex       = 8
Top            = 120
Width          = 11115
_Version       = 131077
_ExtentX      = 19606
_ExtentY      = 13996
_StockProps   = 64
BeginProperty Font {0BE35203-8F91-11CE-9DE3-00AA004BB851}
    Name        = "MS Sans Serif"
    Size        = 8.25
    Charset     = 0
    Weight      = 700
    Underline   = 0 'False
    Italic      = 0 'False
    Strikethrough = 0 'False
EndProperty
MaxCols        = 11
ScrollBars     = 2
ScrollBarShowMax = 0 'False
SpreadDesigner = "frm_main.frx":252A
UserResize     = 2
VisibleCols    = 500
VisibleRows    = 500
End
End
Begin ComctlLib.ProgressBar pgb_ind
    Height      = 210
    Left        = 1440
    TabIndex    = 2
    Top         = 8400
    Width       = 5175
    _ExtentX    = 9128
    _ExtentY    = 370
    _Version    = 327682
    Appearance  = 1
End
Begin ComctlLib.ProgressBar pgb_gen
    Height      = 210
    Left        = 1440
    TabIndex    = 4
    Top         = 8760
    Width       = 5175
    _ExtentX    = 9128
    _ExtentY    = 370
    _Version    = 327682
    Appearance  = 1
End
Begin VB.Label Label3
    Caption     = "Unique models"
    Height      = 255
    Left        = 10080
    TabIndex    = 13
    Top         = 8640
    Width       = 1335
End
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-55

```
Begin VB.Label lbl_count
    BackColor      = &H800000009&
    BorderStyle    = 1 'Fixed Single
    Caption        = "0"
    Height         = 375
    Left           = 11640
    TabIndex       = 12
    Top            = 8520
    Width          = 855
End
Begin VB.Label Label1
    Caption        = "Individuals"
    Height         = 255
    Left           = 360
    TabIndex       = 6
    Top            = 8400
    Width          = 975
End
Begin VB.Label Label2
    Caption        = "Generations"
    Height         = 255
    Left           = 360
    TabIndex       = 5
    Top            = 8760
    Width          = 1095
End
Begin VB.Menu file
    Caption        = "File"
    WindowList    = -1 'True
    Begin VB.Menu new
        Caption    = "&New"
    End
    Begin VB.Menu open
        Caption    = "&Open"
    End
    Begin VB.Menu Save
        Caption    = "&Save"
    End
    Begin VB.Menu Load
        Caption    = "Load results"
    End
    Begin VB.Menu save_as
        Caption    = "S&ave As"
    End
    Begin VB.Menu Exit
        Caption    = "E&xit"
    End
    Begin VB.Menu break
        Caption    = "-"
    End
    Begin VB.Menu files
        Caption    = "Files"
        Index      = 1
        Visible     = 0 'False
    End
    Begin VB.Menu files
        Caption    = "Files"
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-56

```
        Index          = 2
        Visible         = 0 'False
    End
    Begin VB.Menu files
        Caption          = "Files"
        Index            = 3
        Visible          = 0 'False
    End
    Begin VB.Menu files
        Caption          = "Files"
        Index            = 4
        Visible          = 0 'False
    End
End
Begin VB.Menu edit
    Caption              = "Edit"
    Begin VB.Menu Edit_token_set
        Caption          = "Edit Token Set"
    End
    Begin VB.Menu sort
        Caption          = "Sort Results"
    End
    Begin VB.Menu print
        Caption          = "Print"
    End
    Begin VB.Menu copy
        Caption          = "Copy"
    End
End
Begin VB.Menu Run
    Caption              = "Run"
    Begin VB.Menu check_out
        Caption          = "Check Out"
    End
    Begin VB.Menu ga_Run
        Caption          = "GA Run"
    End
    Begin VB.Menu continue_run
        Caption          = "Continue GA run"
    End
    Begin VB.Menu full_grid
        Caption          = "Full Grid Search"
    End
    Begin VB.Menu debug
        Caption          = "Debug"
    End
End
Begin VB.Menu option
    Caption              = "Options"
    Begin VB.Menu settings
        Caption          = "Settings"
    End
End
Begin VB.Menu help
    Caption              = "Help"
End
End
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-57

```
Attribute VB_Name = "frm_main"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False
Private cur_model_file_name As String
Private file_name As String ' just the file name without the path
Option Explicit
Private Sub but_stop_run_Click()
stop_run = True
End Sub

Private Sub copy_Click()
If SSTab1.Tab = 1 Then
MSChart1.EditCopy
MsgBox "result plot chart copied to clipboard"
End If
If SSTab1.Tab = 2 Then
spr_result.col = -1
spr_result.row = -1
spr_result.Action = 22
End If
End Sub
Private Sub debug_Click()
frm_debug.Show 1, Me
End Sub

Private Sub files_Click(Index As Integer)

cur_model_file_name = start_files(Index)
get_model cur_model_file_name
Dim pos As Integer
pos = 1
While InStr(pos + 1, cur_model_file_name, "\") > 0
pos = InStr(pos + 1, cur_model_file_name, "\")
Wend
home_directory = Left(cur_model_file_name, pos - 1)
ChDir (home_directory)
file_name = Right(cur_model_file_name, Len(cur_model_file_name) - pos)
home_drive = Left(home_directory, 2)
ChDrive (home_drive)
End Sub

Private Sub Form_Unload(Cancel As Integer)
End
End Sub

Private Sub Load_Click()

If MsgBox("Load results from " & home_directory & " ?", vbOKCancel) <>
vbOK Then Exit Sub
load_results frm_main.spr_result, frm_main.MSChart1

End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-58

```
Private Sub opt_pause_Click()
opt_pause.Enabled = False
paused = True
Opt_resume.Enabled = True
End Sub
'
Private Sub opt_pause_DblClick()
opt_pause.Enabled = False
paused = True
Opt_resume.Enabled = True
End Sub

Private Sub Opt_resume_Click()
Opt_resume.Enabled = False
paused = False
opt_pause.Enabled = True
End Sub
'
Private Sub Opt_resume_DblClick()
Opt_resume.Enabled = False
paused = False
opt_pause.Enabled = True
End Sub

Private Sub print_click()
If SSTab1.Tab = 1 Then
End If
If SSTab1.Tab = 2 Then
spr_result.col = -1
spr_result.row = -1
spr_result.Action = 22
End If

End Sub
Private Sub New_Click()
Me.txt_code.text = ""
set_default_options
End Sub
Private Sub set_default_options()

End Sub

Private Sub sort_Click()
frm_sort_results.Show
End Sub

Private Sub spr_result_Click(ByVal col As Long, ByVal row As Long)
Dim gen As Integer, ind As Integer
Dim text As String, textline As String
Dim file_name As String
Select Case col
Case 5
spr_result.col = 8
spr_result.row = row
If spr_result.value = "" Then
MsgBox "No results available"
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-59

```
Exit Sub
End If
If save_output = False Then
MsgBox "Output file not saved, see options"
Exit Sub
End If
gen = spr_result.value
spr_result.col = 9
ind = spr_result.value
If spr_result.value = "" Then
MsgBox "No results available"
Exit Sub
End If
file_name = home_directory & "\" & gen & "\" & ind & "\output"
If Dir(file_name, vbNormal) = "" Then
MsgBox "Output file not found"
Exit Sub
End If

Open file_name For Input As #1
Do While Not EOF(1) ' Loop until end of file.
    Line Input #1, textline ' Read line into variable.
    text = text & textline & vbCrLf
Loop
frm_text.Caption = "Output file"
frm_text.txt_text = text
Me.Hide
frm_text.Show
Close #1 ' Close file.
Case 6
    spr_result.col = 8
    spr_result.row = row
    If spr_result.value = "" Then
MsgBox "No results available"
Exit Sub
End If
    If save_control = False Then
MsgBox "control file not saved, see options"
Exit Sub
End If
    gen = spr_result.value
    spr_result.col = 9
    If spr_result.value = "" Then
MsgBox "No results available"
Exit Sub
End If
    ind = spr_result.value
    file_name = home_directory & "\" & gen & "\" & ind & "\control"
    Open file_name For Input As #1
    Do While Not EOF(1) ' Loop until end of file.
        Line Input #1, textline ' Read line into variable.
        text = text & textline & vbCrLf
    Loop
    frm_text.Caption = "Control file"
    frm_text.txt_text = text
    frm_text.Show 1, frm_main
    Close #1 ' Close file.
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-60

Case 7

```
spr_result.col = 8
spr_result.row = row
If spr_result.value = "" Then
MsgBox "Generation not available"
Exit Sub
End If
gen = spr_result.value
spr_result.col = 9
ind = spr_result.value
file_name = home_directory & "\" & gen & "\" & ind
load_data frm_graphics.spr_data, file_name

frm_graphics.Show
End Select
End Sub

Private Sub check_out_Click()
Dim n_runs As Integer
n_runs = frm_options.txt_pop_size * frm_options.txt_generations
frm_main.spr_result.MaxRows = n_runs
SSTab1.Tab = 2
stop_run = False
frm_main.but_stop_run.Enabled = True
ga_runner True, True
frm_main.but_stop_run.Enabled = False
End Sub

Private Sub continue_run_Click()
stop_run = False
ga_runner False, False
End Sub
Private Sub Edit_token_set_Click()
Me.Hide
frm_tokens.Show

End Sub
Private Sub exit_Click()

Dim i As Integer
SaveSetting appname:="NM_GA", section:="Startup", _
    Key:="N", setting:=n_files
For i = 1 To n_files
SaveSetting appname:="NM_GA", section:="Startup", _
    Key:="File" & str(i), setting:=start_files(i)
Next i
'SaveSetting appname:="NM_GA", section:="Startup", _
'    Key:="File" & str(1), setting:="c:\570\amy\ga\570b.mdl"
',
'SaveSetting appname:="NM_GA", section:="Startup", _
'    Key:="File" & str(2), setting:="c:\570\amy\ga\570c.mdl"

End
End Sub
Private Sub Form_Load()
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-61

```
'ChDir "c:\ga\"
'cur_model_file_name = "c:\ga\gen.mdl"
'get_model cur_model_file_name
'frm_tokens.lst_token_group.ListIndex = 0
'frm_tokens.lst_token_sets.ListIndex = 0

End Sub

Private Sub full_grid_Click()
stop_run = False
grid_search
End Sub
Private Sub ga_Run_Click()
Dim n_runs As Integer
n_runs = frm_options.txt_pop_size * frm_options.txt_generations
frm_main.spr_result.MaxRows = n_runs
SSTabl.Tab = 2
stop_run = False
frm_main.but_stop_run.Enabled = True
ga_runner True, False
frm_main.but_stop_run.Enabled = False
'frm_inter_results.Hide

End Sub
Private Sub open_Click()
Me.CommonDialog1.DialogTitle = "Open GA model"
ChDir (home_directory)
Me.CommonDialog1.InitDir = home_directory
Me.CommonDialog1.filename = "*.mdl"
Me.CommonDialog1.ShowOpen
If Me.CommonDialog1.filename = "*.dat" Or Me.CommonDialog1.filename =
"" Or Me.CommonDialog1.filename = "*.mdl" Then
Exit Sub
End If
cur_model_file_name = Me.CommonDialog1.filename
get_model Me.CommonDialog1.filename
frm_tokens.lst_token_group.ListIndex = 0
frm_tokens.lst_token_sets.ListIndex = 0
' get home directory name
Dim pos As Integer
pos = 1
While InStr(pos + 1, cur_model_file_name, "\") > 0
pos = InStr(pos + 1, cur_model_file_name, "\")
Wend
home_directory = Left(cur_model_file_name, pos - 1)
file_name = Right(cur_model_file_name, Len(cur_model_file_name) - pos)
ChDir (home_directory)
home_drive = Left(home_directory, 2)
ChDrive (home_drive)

End Sub

Private Sub save_as_Click()
Dim file_name As String
Me.CommonDialog1.DialogTitle = "Save GA model file"
Me.CommonDialog1.InitDir = home_directory
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-62

```
Me.CommonDialog1.Filter = "*.mdl"
Me.CommonDialog1.filename = "*.mdl"
Me.CommonDialog1.ShowSave
file_name = Me.CommonDialog1.filename
If Trim(file_name) = "" Then Exit Sub
If file_name = "" Then
Exit Sub
Else
' set home directory
Dim pos As Integer
pos = 1
While InStr(pos + 1, file_name, "\") > 0
pos = InStr(pos + 1, file_name, "\")
Wend
home_directory = Left(file_name, pos - 1)
ChDir (home_directory)
home_drive = Left(home_directory, 2)
ChDrive (home_drive)
file_name = Right(file_name, Len(file_name) - pos)
ChDrive (home_drive)
cur_model_file_name = file_name
save_model (file_name)
Dim i As Integer, n As Integer
For i = 1 To n_files
If start_files(i) = home_drive & "\" & home_directory & "\" &
file_name Then
' remove it
For n = i To n_files - 1 Step 1
start_files(n) = start_files(n + 1)
Next n
n_files = n_files - 1
start_files(n_files + 1) = ""
Exit For
End If
Next i
If n_files < 4 Then n_files = n_files + 1
For i = n_files To 2 Step -1
start_files(i) = start_files(i - 1)
frm_main.files(i).Caption = start_files(i)
Next i
start_files(1) = home_drive & "\" & home_directory & "\" & file_name
frm_main.files(1).Caption = start_files(1)
End If
End Sub

Private Sub Save_Click()
save_model (file_name)
End Sub

Private Sub settings_Click()
Me.Hide
set_options
frm_options.Show 1, Me
End Sub

Private Sub SSTab1_Click(PreviousTab As Integer)
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-63

```
If SSTab1.Tab = 2 Then  
sort.Enabled = True  
Else  
sort.Enabled = False  
End If  
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-64

File frm_debug.frm

VERSION 5.00

Begin VB.Form frm_debug

Caption = "Debug Options"
ClientHeight = 4080
ClientLeft = 60
ClientTop = 345
ClientWidth = 5760
LinkTopic = "Form1"
ScaleHeight = 4080
ScaleWidth = 5760
StartupPosition = 3 'Windows Default

Begin VB.CommandButton but_check_unmatched

Caption = "Check for unmatched tokens"
Height = 495
Left = 360
TabIndex = 5
Top = 1200
Width = 2535

End

Begin VB.Frame Frame1

Caption = "Break"
Height = 1215
Left = 3240
TabIndex = 2
Top = 480
Width = 1815

Begin VB.CheckBox chk_debug_control

Caption = "Control files"
Height = 255
Left = 120
TabIndex = 4
Top = 720
Width = 1575

End

Begin VB.CheckBox chk_debug_tokens

Caption = "Tokens"
Height = 255
Left = 120
TabIndex = 3
Top = 360
Width = 1575

End

End

Begin VB.CommandButton but_scan_nums

Caption = "Scan for numbers"
Height = 495
Left = 360
TabIndex = 1
Top = 360
Width = 2535

End

Begin VB.CommandButton Command1

Caption = "Done"
Height = 495
Left = 2280

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-65

```
        TabIndex      =    0
        Top            =   3240
        Width          =    975
    End
End
Attribute VB_Name = "frm_debug"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False
Option Explicit

Private Sub but_scan_numbs_Click()
    scan_tokens
End Sub

Private Sub Command1_Click()
    Me.Hide
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-66

File frm_edit_token.frm

```
VERSION 5.00
Object = "{F9043C88-F6F2-101A-A3C9-08002B2F49FB}#1.1#0"; "Comdlg32.ocx"
Begin VB.Form frm_edit_token
    Caption           = "Edit Token"
    ClientHeight      = 5355
    ClientLeft        = 3900
    ClientTop         = 3645
    ClientWidth       = 7065
    LinkTopic         = "Form1"
    ScaleHeight       = 5355
    ScaleWidth        = 7065
    Begin MSComDlg.CommonDialog CommonDialog1
        Left          = 480
        Top            = 4680
        _ExtentX       = 847
        _ExtentY       = 847
        _Version       = 327680
    End
    Begin VB.TextBox txt_token
        BeginProperty Font
            Name        = "MS Sans Serif"
            Size        = 12
            Charset     = 0
            Weight      = 400
            Underline   = 0   'False
            Italic      = 0   'False
            Strikethrough = 0   'False
        EndProperty
        Height          = 3615
        HideSelection   = 0   'False
        Left            = 960
        MultiLine       = -1  'True
        ScrollBars       = 2   'Vertical
        TabIndex        = 2
        Top             = 480
        Width            = 5655
    End
    Begin VB.CommandButton but_cancel
        Caption         = "Cancel"
        Height          = 495
        Left            = 4200
        TabIndex        = 1
        Top             = 4320
        Width           = 1095
    End
    Begin VB.CommandButton but_done
        Caption         = "Done"
        Height          = 495
        Left            = 2040
        TabIndex        = 0
        Top             = 4320
        Width           = 1095
    End
    Begin VB.Label Label1
        Caption         = "Token"
    End
End
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-67

```
Height          = 375
Left            = 120
TabIndex        = 3
Top            = 960
Width          = 855
End
Begin VB.Menu file
    Caption      = "File"
    Begin VB.Menu import
        Caption   = "Import"
    End
    Begin VB.Menu export
        Caption   = "Export"
    End
    Begin VB.Menu save
        Caption   = "Save and close"
    End
    Begin VB.Menu exit
        Caption   = "Exit (don't save)"
    End
End
End
Attribute VB_Name = "frm_edit_token"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False

Private Sub but_done_Click()
    If check_token(txt_token) = False Then
        Exit Sub
    End If
    Me.Hide
    frm_tokens.Show
End Sub

Private Sub import_Click()
    Dim code As String, textline As String
    Me.CommonDialog1.DialogTitle = "Import token"
    Me.CommonDialog1.filename = "*.txt"
    Me.CommonDialog1.ShowOpen
    If Me.CommonDialog1.filename = "*.txt" Or _
        Me.CommonDialog1.filename = "" Then
        Exit Sub
    End If
    Open Me.CommonDialog1.filename For Input As #1
    Do While Not EOF(1) ' Loop until end of file.
        Line Input #1, textline ' Read line into variable.
        Debug.Print textline ' Print to Debug window.
        code = code & textline & vbCrLf
    Loop
    Close #1
    Me.txt_token = code
End Sub

Private Sub export_Click()
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-68

```
Dim code As String, textline As String
Dim new_code As String
Me.CommonDialog1.DialogTitle = "Export token"
Me.CommonDialog1.filename = "*.txt"
Me.CommonDialog1.ShowSave
If Me.CommonDialog1.filename = "*.txt" Or _
    Me.CommonDialog1.filename = "" Then
    Exit Sub
End If
    Open Me.CommonDialog1.filename For Output As #1
    code = Me.txt_token
Print #1, code ' Print text to file.
Close #1
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-69

File frm_graphics.frm

```
VERSION 5.00
Object = "{B02F3647-766B-11CE-AF28-C3A2FBE76A13}#2.5#0"; "SS32X25.OCX"
Object = "{BDC217C8-ED16-11CD-956C-0000C04E4C0A}#1.1#0"; "TABCTL32.OCX"
Object = "{827E9F53-96A4-11CF-823E-000021570103}#1.0#0"; "GRAPHS32.OCX"
Object = "{F9043C88-F6F2-101A-A3C9-08002B2F49FB}#1.1#0"; "Comdlg32.ocx"
Begin VB.Form frm_graphics
    Caption           = "Graphics"
    ClientHeight      = 8835
    ClientLeft        = 60
    ClientTop         = 630
    ClientWidth       = 10695
    LinkTopic         = "Form1"
    ScaleHeight       = 8835
    ScaleWidth        = 10695
    Begin MSComDlg.CommonDialog CommonDialog1
        Left          = 3240
        Top            = 8400
        _ExtentX       = 847
        _ExtentY       = 847
        _Version       = 327680
    End
    Begin TabDlg.SSTab SSTab1
        Height         = 8535
        Left            = 120
        TabIndex        = 0
        Top             = 120
        Width           = 10110
        _ExtentX        = 17833
        _ExtentY        = 15055
        _Version        = 393216
        TabOrientation  = 1
        Tabs            = 1
        TabsPerRow      = 10
        TabHeight       = 520
        TabCaption(0)   = "Main"
        TabPicture(0)   = "frm_graphics.frx":0000
        Tab(0).ControlEnabled= -1 'True
        Tab(0).Control(0)= "Label2"
        Tab(0).Control(0).Enabled= 0 'False
        Tab(0).Control(1)= "Label1"
        Tab(0).Control(1).Enabled= 0 'False
        Tab(0).Control(2)= "spr_data"
        Tab(0).Control(2).Enabled= 0 'False
        Tab(0).Control(3)= "lst_sort_col"
        Tab(0).Control(3).Enabled= 0 'False
        Tab(0).Control(4)= "lst_y_axis"
        Tab(0).Control(4).Enabled= 0 'False
        Tab(0).Control(5)= "lst_x_axis"
        Tab(0).Control(5).Enabled= 0 'False
        Tab(0).Control(6)= "but_histos"
        Tab(0).Control(6).Enabled= 0 'False
        Tab(0).Control(7)= "But_done"
        Tab(0).Control(7).Enabled= 0 'False
        Tab(0).Control(8)= "but_make_plot"
        Tab(0).Control(8).Enabled= 0 'False
    End
End
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-70

```
Tab(0).Control(9)= "chk_unit_line"
Tab(0).Control(9).Enabled= 0 'False
Tab(0).Control(10)= "chk_abs_value"
Tab(0).Control(10).Enabled= 0 'False
Tab(0).Control(11)= "chk_sort_col"
Tab(0).Control(11).Enabled= 0 'False
Tab(0).Control(12)= "chk_plot_matrix"
Tab(0).Control(12).Enabled= 0 'False
Tab(0).Control(13)= "chk_ind_y_plots"
Tab(0).Control(13).Enabled= 0 'False
Tab(0).Control(14)= "chk_ind_sorted_plots"
Tab(0).Control(14).Enabled= 0 'False
Tab(0).Control(15)= "Graph(0)"
Tab(0).Control(15).Enabled= 0 'False
Tab(0).Control(16)= "Frame1"
Tab(0).Control(16).Enabled= 0 'False
Tab(0).ControlCount= 17
Begin VB.Frame Frame1
    Height = 615
    Left = 360
    TabIndex = 17
    Top = 6480
    Width = 3495
    Begin VB.OptionButton opt_smooth
        Caption = "Smooth"
        Enabled = 0 'False
        Height = 255
        Left = 2040
        TabIndex = 20
        Top = 240
        Width = 1095
    End
    Begin VB.OptionButton opt_line
        Caption = "Line"
        Enabled = 0 'False
        Height = 255
        Left = 1200
        TabIndex = 19
        Top = 240
        Width = 735
    End
    Begin VB.CheckBox chk_trend_line
        Caption = "Trend"
        Height = 255
        Left = 120
        TabIndex = 18
        Top = 240
        Width = 855
    End
End
Begin GraphsLib.Graph Graph
    Height = 255
    Index = 0
    Left = 8400
    TabIndex = 16
    Top = 6360
    Visible = 0 'False
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-71

```
Width          = 495
_Version       = 327680
_ExtentX      = 873
_ExtentY      = 450
_StockProps   = 96
GraphStyle     = 2
GraphType     = 9
LeftTitleStyle = 1
RandomData    = 0
SymbolData    = "13~13~7~13"
SymbolSize    = 10
End
Begin VB.CheckBox chk_ind_sorted_plots
    Caption      = "Individual Sorted Plots"
    Height       = 255
    Left         = 7080
    TabIndex     = 15
    Top          = 5870
    Width        = 2175
End
Begin VB.CheckBox chk_ind_y_plots
    Caption      = "Individual Y Plots"
    Height       = 255
    Left         = 3720
    TabIndex     = 14
    Top          = 5870
    Width        = 1815
End
Begin VB.CheckBox chk_plot_matrix
    Caption      = "Plot matrix"
    Height       = 255
    Left         = 3960
    TabIndex     = 13
    Top          = 6720
    Width        = 1095
End
Begin VB.CheckBox chk_sort_col
    Caption      = "Use Sort Item"
    Height       = 255
    Left         = 7080
    TabIndex     = 9
    Top          = 3480
    Width        = 1455
End
Begin VB.CheckBox chk_abs_value
    Caption      = "Use Absolute Value"
    Height       = 255
    Left         = 3720
    TabIndex     = 8
    Top          = 6240
    Width        = 1935
End
Begin VB.CheckBox chk_unit_line
    Caption      = "Unit Line"
    Height       = 255
    Left         = 600
    TabIndex     = 7
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-72

```
Top          = 6240
Width        = 1215
End
Begin VB.CommandButton but_make_plot
Caption      = "Make plot"
Height      = 615
Left        = 600
TabIndex    = 6
Top         = 7320
Width       = 1575
End
Begin VB.CommandButton But_done
Caption      = "Done"
Height      = 615
Left        = 4080
TabIndex    = 5
Top         = 7320
Width       = 1575
End
Begin VB.CommandButton but_histos
Caption      = "Make Histos"
Height      = 615
Left        = 7320
TabIndex    = 4
Top         = 7320
Width       = 1575
End
Begin VB.ListBox lst_x_axis
Height      = 2010
Left        = 480
MultiSelect = 2 'Extended
TabIndex    = 3
Top         = 3720
Width       = 1935
End
Begin VB.ListBox lst_y_axis
Height      = 2010
Left        = 3720
MultiSelect = 2 'Extended
TabIndex    = 2
Top         = 3720
Width       = 1935
End
Begin VB.ListBox lst_sort_col
Enabled     = 0 'False
Height      = 2010
Left        = 7080
TabIndex    = 1
Top         = 3720
Width       = 1935
End
Begin FPSpread.vaSpread spr_data
Height      = 3015
Left        = 240
TabIndex    = 10
Top         = 120
Width       = 9495
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-73

```
_Version          = 131077
_ExtentX          = 16748
_ExtentY          = 5318
_StockProps       = 64
BeginProperty Font {0BE35203-8F91-11CE-9DE3-00AA004BB851}
    Name          = "MS Sans Serif"
    Size          = 8.25
    Charset       = 0
    Weight        = 700
    Underline     = 0 'False
    Italic        = 0 'False
    Strikethrough = 0 'False
EndProperty
SpreadDesigner    = "frm_graphics.frx":001C
End
Begin VB.Label Label1
    Caption        = "X axis"
    Height         = 255
    Left          = 480
    TabIndex       = 12
    Top           = 3360
    Width         = 1575
End
Begin VB.Label Label2
    Caption        = "Y axis"
    Height         = 255
    Left          = 3720
    TabIndex       = 11
    Top           = 3360
    Width         = 1575
End
End
Begin VB.Menu file
    Caption        = "File"
    Begin VB.Menu Close
        Caption     = "Close"
    End
End
End
Begin VB.Menu edit
    Caption        = "Edit"
    Begin VB.Menu copy
        Caption     = "&Copy"
        Shortcut    = ^C
    End
End
End
End
Attribute VB_Name = "frm_graphics"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False
Option Explicit

Private Sub but_done_Click()
Unload frm_graphics
frm_main.Show
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-74

```
Private Sub but_histos_Click()
Dim i As Integer
With frm_histo.lst_histo
    .clear
For i = 1 To lst_x_axis.ListCount
    .AddItem lst_x_axis.list(i - 1)
Next i
End With
Me.Hide
frm_histo.Show
End Sub

Private Sub but_make_plot_Click()
Dim i As Integer, n_tabs As Integer, n_plots As Integer
If lst_x_axis.ListIndex < 0 Then
    MsgBox "Please select one or more x variables"
    Exit Sub
End If
If lst_y_axis.ListIndex < 0 Then
    MsgBox "Please select one or more y variables"
    Exit Sub
End If
If chk_sort_col.value = 1 And lst_sort_col.ListIndex < 0 Then
    MsgBox "Please select a sort variable"
    Exit Sub
End If
' figure out how may x and y selected
Dim n_x As Integer, n_y As Integer, xs(1 To 20) As Integer, ys(1 To 20)
As Integer

For i = 0 To lst_x_axis.ListCount - 1
    If lst_x_axis.Selected(i) = True Then
        n_x = n_x + 1
        xs(n_x) = i
    End If
Next i
For i = 0 To lst_y_axis.ListCount - 1
    If lst_y_axis.Selected(i) = True Then
        n_y = n_y + 1
        ys(n_y) = i
    End If
Next i
n_tabs = SStab1.Tabs
n_plots = Graph.count - 1 ' index starts at 0, but we don't use 0
' single x, single y, single plot
If n_x = 1 And n_y = 1 And chk_plot_matrix.value = 0 And chk_sort_col =
0 Then
    n_tabs = n_tabs + 1
    n_plots = n_plots + 1
    SStab1.Tabs = n_tabs
    SStab1.Tab = n_tabs - 1
    SStab1.TabCaption(n_tabs - 1) = lst_x_axis.list(lst_x_axis.ListIndex)
    & "/" & lst_y_axis.list(lst_y_axis.ListIndex)
    Load Graph(n_plots)
    make_xy lst_x_axis.ListIndex + 1, lst_y_axis.ListIndex + 1,
Graph(n_plots)
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-75

```
End If
' single x, several
If n_x = 1 And n_y > 1 And chk_plot_matrix.value = 0 And chk_sort_col =
0 Then
' one plot, one x, many y
make_multiy xs(1), ys, n_y
End If
If n_x > 1 And chk_plot_matrix.value = 0 And chk_sort_col = 0 Then
make_multi_x xs, ys, n_x, n_y
End If
' plot matrix, one plot
If chk_plot_matrix.value = 1 And chk_sort_col = 0 Then
plot_matrix xs, ys, n_x, n_y
End If
' sorted, one x, one y
If chk_sort_col = 1 And n_x = 1 And n_y = 1 Then
make_sorted_xy xs(1), ys(1), Me.lst_sort_col.ListIndex
End If

End Sub

Private Sub make_sorted_xy(X As Integer, y As Integer, sort_col As
Integer)
' NOTE THAT LISTINDICES START AT 0
Dim n_subs As Integer, max_obs As Integer, this_point As Integer
Dim this_sub As Integer, this_graph_point As Integer, this_tab As
Integer
Dim n_data As Integer, i As Integer, this_plot As Integer, this_id As
Integer
' first need to pass through data, and count max obs per subject
n_subs = 1
spr_data.col = sort_col + 1
spr_data.row = 1
this_sub = spr_data.value
For i = 2 To spr_data.MaxRows
spr_data.row = i
If spr_data.value <> this_sub Then
n_subs = n_subs + 1
this_sub = spr_data.value
End If
Next i
' add a tab
SSTab1.Tabs = SSTab1.Tabs + 1
this_tab = SSTab1.Tabs
SSTab1.Tab = this_tab - 1
this_plot = Graph.count - 1
this_plot = this_plot + 1
Load Graph(this_plot)
With Graph(this_plot)
.Visible = True
.Enabled = True
.Top = 400
.Left = 400
.width = 9200
.height = 7400
' how many data
n_data = spr_data.MaxRows
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-76

```
.NumSets = n_subs
.NumPoints = max_obs
this_sub = 1
this_graph_point = 1
While this_point < n_data
  spr_data.row = this_point
  spr_data.col = sort_col
  If spr_data.value <> this_id Then
    this_id = spr_data.value
    this_sub = this_sub + 1
    this_graph_point = 1
  Graph(this_plot).ThisSet = this_sub
  Graph(this_plot).ThisPoint = this_graph_point
  spr_data.col = X
  .XPos(i) = Val(spr_data.text)
  spr_data.col = y
  .Data(i) = Val(spr_data.text)
End If
Wend ' this point < n_data
' loop over data sets and set options
.SymbolData = 13 ' solid circle
.SymbolSize = 30
spr_data.col = y
spr_data.row = 0
.LeftTitle = spr_data.text
spr_data.col = X
.BottomTitle = spr_data.text
.DrawMode = graphDraw
End With
End Sub

Private Sub make_multi_x(xs() As Integer, ys() As Integer, n_x As
Integer, n_y As Integer)
' unique plot for each x, each plot will have all y's
Dim this_plot As Integer
For this_plot = 1 To n_x
  make_multiy xs(this_plot), ys, n_y
Next this_plot
End Sub

Private Sub plot_matrix(xs() As Integer, ys() As Integer, n_x As
Integer, n_y As Integer)

Dim n_plots As Integer
Dim i As Integer, n As Integer, this_plot As Integer, p As Integer
Dim n_data As Integer
Dim this_tab As Integer, start_plot As Integer, end_plot As Integer
this_tab = SSTab1.Tabs
start_plot = Graph.count - 1 ' keep to specify this plot we're doing
this_plot = start_plot ' current plot #
Const left_margin = 50
Const top_margin = 50
Const gap = 0
Dim width As Integer, height As Integer
Dim max_dim As Integer ' maximum value of row or cols
max dim = n_x
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-77

```
If n_y > n_x Then max_dim = n_y
width = (SSTab1.width - left_margin * 2) / max_dim - (max_dim - 1) *
gap
' 400 FOR TAB ROW
' need to adjust height for # of rows of tabs
height = (SSTab1.height - top_margin * 2 - 400) / max_dim - (max_dim -
1) * gap
n_plots = n_x * n_y + start_plot
n_data = spr_data.MaxRows
While this_plot < n_plots
  this_tab = this_tab + 1
  SSTab1.Tabs = this_tab
  SSTab1.Tab = this_tab - 1
  SSTab1.TabCaption(this_tab - 1) = "Matrix"
  For i = 1 To n_x
    If this_plot = n_plots Then Exit For
    For n = 1 To n_y
      If this_plot = n_plots Then Exit For
      this_plot = this_plot + 1
      Load Graph(this_plot)
      With Graph(this_plot)
        .Visible = True
        .BorderStyle = 0
        .Left = left_margin + (n - 1) * width
        .width = width
        .Top = top_margin + (i - 1) * height
        .height = height
        .BottomTitle = lst_x_axis.list(xs(i))
        .LeftTitle = lst_y_axis.list(ys(n))
        .Enabled = True
        .NumSets = 1
        .NumPoints = n_data
        For p = 1 To n_data
          Dim junk As String
          spr_data.row = p
          '   spr_data.col = 0
          '   junk = spr_data.text
          '   spr_data.col = 1
          '   junk = spr_data.text
          spr_data.col = xs(i) + 1
          .XPos(p) = Val(spr_data.text)
          spr_data.col = ys(n) + 1
          .Data(p) = Val(spr_data.text)
        Next p
        .SymbolData = 13 ' solid circle
        .SymbolSize = 20 + 18 * max_dim

If Me.chk_trend_line.value = 1 Then
  If opt_line.value = True Then .LineStats = 8
  If opt_smooth.value = True Then
    .CurveOrder = 2
    .LineStats = 16
    .PatternedLines = 1
    .PatternData = 1
  End If
End If
.DrawMode = graphDraw
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-78

```
        End With
    Next n
Next i
Wend

End Sub

Private Sub make_multiy(X As Integer, ys() As Integer, n_y As Integer)
Dim i As Integer, n As Integer, p As Integer, this_tab
Dim n_data As Integer, this_y As Integer, this_plot As Integer
' add a tab
SSTab1.Tabs = SSTab1.Tabs + 1
this_tab = SSTab1.Tabs
SSTab1.Tab = this_tab - 1
n_data = spr_data.MaxRows
this_plot = Graph.count - 1
this_plot = this_plot + 1
Load Graph(this_plot)
With Graph(this_plot)
    .Visible = True
    .Enabled = True
    .Top = 400
    .Left = 400
    .width = 9200
    .height = 7400
    .NumSets = n_y
    .NumPoints = n_data
For this_y = 1 To n_y
    .ThisSet = this_y
    For p = 1 To n_data
        spr_data.row = p
        spr_data.col = X + 1
        .XPos(p) = Val(spr_data.text)
        spr_data.col = ys(this_y) + 1
        .Data(p) = Val(spr_data.text)
    Next p
    .SymbolData = 13 ' solid circle
    .SymbolSize = 38
    If Me.chk_trend_line.value = 1 Then
        If opt_line.value = True Then .LineStats = 8
        If opt_smooth.value = True Then
            .CurveOrder = 2
            .LineStats = 16
            .PatternedLines = 1
            .PatternData = 1
        End If
    End If
    spr_data.col = ys(this_y) + 1
    spr_data.row = 0
    Dim divider As String
    .LeftTitle = .LeftTitle & divider & spr_data.text
    divider = "/"
    spr_data.col = X + 1
Next this_y
    spr_data.col = X + 1
    spr_data.row = 0
    .BottomTitle = spr_data.text
    .DrawMode = graphDraw
```

Replacement Sheet
- 09/878,686
Group Art Unit 2123

FIG. 8A-79

End With

```
SSTab1.TabCaption(this_tab - 1) = spr_data.text
End Sub
Private Sub make_xy(X As Integer, y As Integer, this_graph As Graph)
Dim n_data As Integer, i As Integer
Dim sumx As Double, sumxx As Double, sumy As Double, sumxy As Double,
sumyy As Double
'Dim maxx As Single, minx As Single
Dim slope As Single, intercept As Single, xval As Single, yval As
Single
'SSTab1.TabCaption(SSTab1.Tabs - 1) = lst_x_axis.list(X) & "/" &
lst_y_axis.list(Y)
With this_graph
.Visible = True
.Enabled = True
.Top = 400
.Left = 400
.width = 9200
.height = 7400
' how many data
n_data = spr_data.MaxRows
.NumSets = 1
.NumPoints = n_data
' maxx = -999999999
' minx = 999999999
For i = 1 To n_data
spr_data.row = i
spr_data.col = X
xval = Val(spr_data.text)
.XPos(i) = xval
sumx = sumx + xval
sumxx = sumxx + xval * xval
' If xval > maxx Then maxx = xval
' If xval < minx Then minx = xval
spr_data.col = y
yval = Val(spr_data.text)
.Data(i) = yval
sumy = sumy + yval
sumyy = sumyy + yval * yval
sumxy = sumxy + yval * xval
Next i
.SymbolData = 13 ' solid circle
.SymbolSize = 30
spr_data.col = y
spr_data.row = 0
.LeftTitle = spr_data.text
spr_data.col = X
.BottomTitle = spr_data.text
' add trend line
If Me.chk_trend_line.value = 1 Then
If opt_line.value = True Then .LineStats = 8
If opt_smooth.value = True Then
.CurveOrder = 2
.LineStats = 16
.PatternedLines = 1
.PatternData = 1
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-80

```
End If
End If
Dim rsquare As Double
Dim denom As Double
denom = Sqr((n_data * sumxx - sumx * sumx) * (n_data * sumyy - sumy *
sumy))
If denom > 0.000000000001 Then
rsquare = (n_data * sumxy - sumx * sumy) / denom
Else
rsquare = 1
End If
.BottomTitle = .BottomTitle & " R^2 = " & Format(rsquare, "0.000")
.DrawMode = graphDraw
End With
End Sub

Private Sub chk_sort_col_Click()
If chk_sort_col.value = 1 Then
lst_sort_col.Enabled = True
Else
lst_sort_col.Enabled = False
End If
End Sub

Private Sub chk_trend_line_Click()
If chk_trend_line.value = 1 Then
opt_line.Enabled = True
opt_smooth.Enabled = True
Else

opt_line.Enabled = False
opt_smooth.Enabled = False
End If
End Sub

Private Sub copy_Click()
MsgBox "Nothing to copy"
End Sub
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-81

File frm_histo.frm

VERSION 5.00

Object = "{BDC217C8-ED16-11CD-956C-0000C04E4C0A}#1.1#0"; "TABCTL32.OCX"

Object = "{827E9F53-96A4-11CF-823E-000021570103}#1.0#0"; "GRAPHS32.OCX"

Begin VB.Form frm_histo

 Caption = "Make Histograms"

 ClientHeight = 9045

 ClientLeft = 60

 ClientTop = 630

 ClientWidth = 12120

 LinkTopic = "Form1"

 ScaleHeight = 9045

 ScaleWidth = 12120

 StartupPosition = 3 'Windows Default

Begin VB.TextBox txt_nbins

 Height = 285

 Left = 1320

 TabIndex = 14

 Text = "10"

 Top = 6480

 Width = 855

End

Begin VB.CheckBox chk_autobins

 Caption = "Auto select bins"

 Height = 375

 Left = 480

 TabIndex = 12

 Top = 5880

 Width = 1695

End

Begin VB.Frame Frame4

 Height = 1095

 Left = 360

 TabIndex = 9

 Top = 4560

 Width = 1695

Begin VB.OptionButton opt_lin

 Caption = "Linear scale"

 Height = 255

 Left = 240

 TabIndex = 11

 Top = 240

 Value = -1 'True

 Width = 1215

End

Begin VB.OptionButton opt_log

 Caption = "log scale"

 Height = 255

 Left = 240

 TabIndex = 10

 Top = 600

 Width = 1095

End

End

Begin VB.TextBox txt_n_rows

 Height = 405

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-82

```
Left          = 1680
TabIndex      = 8
Text          = "1"
Top           = 3840
Width         = 495
End
Begin VB.Frame Frame3
Height        = 1095
Left          = 360
TabIndex      = 5
Top           = 3240
Width         = 1935
Begin VB.OptionButton opt_matrix
Caption       = "Matrix"
Height        = 195
Left          = 240
TabIndex      = 7
Top           = 600
Width         = 1575
End
Begin VB.OptionButton opt_ind_plots
Caption       = "Individual plots"
Height        = 195
Left          = 240
TabIndex      = 6
Top           = 240
Value         = -1 'True
Width         = 1575
End
End
Begin VB.ListBox lst_histo
Height        = 2595
Left          = 480
TabIndex      = 4
Top           = 360
Width         = 1335
End
Begin VB.CommandButton but_done
Caption       = "Done"
Height        = 615
Left          = 720
TabIndex      = 2
Top           = 7800
Width         = 1215
End
Begin VB.CommandButton but_make_plot
Caption       = "Make Histo"
Height        = 615
Left          = 720
TabIndex      = 1
Top           = 6960
Width         = 1215
End
Begin TabDlg.SSTab tab_histo
Height        = 8775
Left          = 2520
TabIndex      = 0
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-83

```
Top           = 0
Width         = 9495
_ExtentX      = 16748
_ExtentY      = 15478
_Version      = 327681
TabOrientation = 1
Tabs          = 1
TabsPerRow    = 5
TabHeight     = 520
TabPicture(0) = "frm_histo.frx":0000
Tab(0).ControlEnabled= -1 'True
Tab(0).Control(0)= "Graph(0)"
Tab(0).Control(0).Enabled= 0 'False
Tab(0).ControlCount= 1
Begin GraphsLib.Graph Graph
    Height     = 375
    Index      = 0
    Left       = 480
    TabIndex   = 3
    Top        = 480
    Visible    = 0 'False
    Width      = 615
    _Version   = 327680
    _ExtentX   = 1085
    _ExtentY   = 661
    _StockProps = 96
    BorderStyle = 1
    GraphType  = 3
    RandomData = 0
End
End
Begin VB.Label Label2
    Caption     = "n bins"
    Height     = 255
    Left       = 480
    TabIndex   = 13
    Top        = 6480
    Width      = 735
End
Begin VB.Menu file
    Caption     = "File"
    Begin VB.Menu exit
        Caption = "Exit"
    End
End
Begin VB.Menu edit
    Caption     = "Edit"
    Begin VB.Menu copy
        Caption = "&Copy"
        Shortcut = ^C
    End
End
End
Attribute VB_Name = "frm_histo"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-84

```
Attribute VB_Exposed = False
Private cur_plot As Integer
Private Sub but_make_plot_Click()
Dim i As Integer, n_tabs As Integer, n_plots As Integer
If lst_histo.ListIndex < 0 Then
MsgBox "Please select one or more x variables"
Exit Sub
End If
' figure out how many x and y selected
Dim n_x As Integer, xs(1 To 20) As Integer

For i = 0 To lst_histo.ListCount - 1
If lst_histo.Selected(i) = True Then
n_x = n_x + 1
xs(n_x) = i
End If
Next i
n_tabs = tab_histo.Tabs
' only add a tab if this is not the first
n_plots = Graph.Count - 1 ' index starts at 0, but we don't use 0
If n_plots = 0 Then n_tabs = 0
If n_x = 1 Then
n_tabs = n_tabs + 1
n_plots = n_plots + 1
tab_histo.Tabs = n_tabs
tab_histo.Tab = n_tabs - 1
tab_histo.TabCaption(n_tabs - 1) = lst_histo.list(lst_histo.ListIndex)
Load Graph(n_plots)
With Graph(n_plots)
.Visible = True
.Enabled = True
.Top = 400
.Left = 400
.width = 9200
.height = 7400
' how many data
n_data = frm_graphics.spr_data.MaxRows
.NumSets = 1
.NumPoints = n_data
make_histo lst_histo.ListIndex + 1, Graph(n_plots)

End With
End If

End Sub

Sub make_histo(X As Integer, this_graph As Graph)

End Sub

Private Sub chk_autobins_Click()
If chk_autobins.value = 0 Then
txt_nbins.Enabled = True
Else
txt_nbins.Enabled = False
End If
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-85

```
Private Sub copy_Click()  
If cur_plot = 0 Then  
MsgBox "Please select a plot"  
Else  
Graph(cur_plot).DrawMode = graphCopy  
End If  
End Sub  
  
Private Sub exit_Click()  
frm_graphics.Show  
Me.Hide  
End Sub  
  
Private Sub Form_Terminate()  
frm_graphics.Show  
End Sub  
  
Private Sub Graph_Click(Index As Integer)  
cur_plot = Index  
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-86

File frm_intermediate_results.frm

```
VERSION 5.00
Object = "{B02F3647-766B-11CE-AF28-C3A2FBE76A13}#2.5#0"; "SS32X25.OCX"
Object = "{02B5E320-7292-11CF-93D5-0020AF99504A}#1.0#0"; "MSCHART.OCX"
Object = "{BDC217C8-ED16-11CD-956C-0000C04E4C0A}#1.1#0"; "TABCTL32.OCX"
Object = "{6B7E6392-850A-101B-AFC0-4210102A8DA7}#1.2#0"; "COMCTL32.OCX"
Begin VB.Form frm_inter_results
    Caption           = "Intermediate results"
    ClientHeight      = 7290
    ClientLeft        = 3015
    ClientTop         = 4380
    ClientWidth       = 12600
    LinkTopic         = "Form1"
    ScaleHeight       = 7290
    ScaleWidth        = 12600
    Begin ComctlLib.ProgressBar pgb_ind
        Height        = 210
        Left          = 2280
        TabIndex      = 4
        Top           = 6480
        Width         = 5175
        _ExtentX      = 9128
        _ExtentY      = 370
        _Version      = 327682
        Appearance    = 1
    End
    Begin TabDlg.SSTab SSTab1
        Height        = 6255
        Left          = 120
        TabIndex      = 1
        Top           = 120
        Width         = 12255
        _ExtentX      = 21616
        _ExtentY      = 11033
        _Version      = 393216
        TabOrientation = 3
        Tabs          = 2
        TabsPerRow    = 2
        TabHeight     = 520
        BeginProperty Font {0BE35203-8F91-11CE-9DE3-00AA004BB851}
            Name       = "Arial"
            Size      = 11.25
            Charset    = 0
            Weight     = 400
            Underline  = 0   'False
            Italic     = 0   'False
            Strikethrough = 0 'False
        EndProperty
        TabCaption(0) = "Intermediate results"
        TabPicture(0) = "frm_intermediate_results.frx":0000
        Tab(0).ControlEnabled= -1 'True
        Tab(0).Control(0)= "MSChart1"
        Tab(0).Control(0).Enabled= 0 'False
        Tab(0).ControlCount= 1
        TabCaption(1) = "Final Results"
        TabPicture(1) = "frm_intermediate_results.frx":001C
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-87

```
Tab(1).ControlEnabled= 0 'False
Tab(1).Control(0)= "spr_result"
Tab(1).ControlCount= 1
Begin MSChartLib.MSChart MSChart1
    Height = 5655
    Left = 1200
    OleObjectBlob = "frm_intermediate_results.frx":0038
    TabIndex = 2
    Top = 120
    Width = 10335
End
Begin FPSpread.vaSpread spr_result
    Height = 5895
    Left = -74880
    TabIndex = 3
    Top = 120
    Width = 11520
    _Version = 131077
    _ExtentX = 20320
    _ExtentY = 10398
    _StockProps = 64
    BeginProperty Font {0BE35203-8F91-11CE-9DE3-00AA004BB851}
        Name = "MS Sans Serif"
        Size = 8.25
        Charset = 0
        Weight = 700
        Underline = 0 'False
        Italic = 0 'False
        Strikethrough = 0 'False
    EndProperty
    MaxCols = 14
    ScrollBars = 2
    ScrollBarShowMax= 0 'False
    SpreadDesigner = "frm_intermediate_results.frx":20C4
    UserResize = 2
    VisibleCols = 500
    VisibleRows = 500
End
End
Begin VB.CommandButton but_stop_run
    Caption = "Stop Run"
    Height = 375
    Left = 9840
    TabIndex = 0
    Top = 6600
    Width = 855
End
Begin ComctlLib.ProgressBar pgb_gen
    Height = 210
    Left = 2280
    TabIndex = 5
    Top = 6840
    Width = 5175
    _ExtentX = 9128
    _ExtentY = 370
    _Version = 327682
    Appearance = 1
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-88

```
End
Begin VB.Label Label2
    Caption       =   "Generations"
    Height        =   255
    Left          =   840
    TabIndex      =   7
    Top           =   6840
    Width         =   1095
End
Begin VB.Label Label1
    Caption       =   "Individuals"
    Height        =   255
    Left          =   840
    TabIndex      =   6
    Top           =   6480
    Width         =   975
End
End
Attribute VB_Name = "frm_inter_results"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False
Option Explicit

Private Sub but_stop_run_Click()
    stop_run = True
End Sub

Private Sub spr_result_Click(ByVal Col As Long, ByVal Row As Long)
    If Col > 4 And Col < 13 Then MsgBox "col = " & Col & "    row = " & Row
End Sub
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-89

File frm_new_group.frm

VERSION 5.00

Begin VB.Form frm_new_group

Caption = "New Token Group"
ClientHeight = 3195
ClientLeft = 5220
ClientTop = 3735
ClientWidth = 4680
LinkTopic = "Form1"
ScaleHeight = 3195
ScaleWidth = 4680

Begin VB.TextBox txt_stem

Height = 375
Left = 1440
TabIndex = 4
Top = 720
Width = 1455

End

Begin VB.TextBox txt_n_tokens

Height = 375
Left = 1440
TabIndex = 2
Text = "1"
Top = 1200
Width = 1455

End

Begin VB.CommandButton but_cancel

Caption = "Cancel"
Height = 495
Left = 2400
TabIndex = 1
Top = 2400
Width = 1335

End

Begin VB.CommandButton but_done

Caption = "Done"
Height = 495
Left = 720
TabIndex = 0
Top = 2400
Width = 1335

End

Begin VB.Label Label2

Caption = "Stem "
Height = 375
Left = 240
TabIndex = 5
Top = 720
Width = 975

End

Begin VB.Label Label1

Caption = "# of Tokens"
Height = 375
Left = 240
TabIndex = 3
Top = 1200

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-90

```
        Width          =    975
    End
End
Attribute VB_Name = "frm_new_group"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False

Private Sub but_cancel_Click()
Me.txt_n_tokens = -999
Me.txt_stem = -999
Me.Hide
frm_tokens.Show
End Sub

Private Sub but_done_Click()
Me.Hide
frm_tokens.Show
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-91

File frm_options.frm

VERSION 5.00

Begin VB.Form frm_options

Caption = "Form1"
ClientHeight = 7485
ClientLeft = 5265
ClientTop = 3360
ClientWidth = 8625
LinkTopic = "Form1"
ScaleHeight = 7485
ScaleWidth = 8625

Begin VB.CheckBox chk_save_best

Caption = "Save best?"
Height = 255
Left = 4800
TabIndex = 43
Top = 3960
Value = 1 'Checked
Width = 3135

End

Begin VB.Frame Frame2

Caption = "Random seed"
Height = 1455
Left = 4680
TabIndex = 38
Top = 4440
Width = 3495

Begin VB.TextBox txt_rnd_seed

Enabled = 0 'False
Height = 375
Left = 2040
TabIndex = 42
Text = "1"
Top = 840
Width = 615

End

Begin VB.OptionButton opt_rnd_user

Caption = "User Defined"
Height = 255
Left = 240
TabIndex = 41
Top = 960
Width = 1335

End

Begin VB.OptionButton opt_rnd_default

Caption = "Use Default"
Height = 255
Left = 240
TabIndex = 40
Top = 240
Value = -1 'True
Width = 1335

End

Begin VB.OptionButton opt_rnd_clock

Caption = "Use Clock"
Height = 255

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-92

```
        Left           = 240
        TabIndex       = 39
        Top            = 600
        Width          = 1335
    End
End
Begin VB.CheckBox chk_non_diag_omega
    Caption           = "Include ga for non diagonal OMEGA"
    Height            = 375
    Left              = 4800
    TabIndex          = 37
    Top               = 3480
    Value             = 1 'Checked
    Width             = 2895
End
Begin VB.TextBox txt_frame_shift_prob
    Height            = 285
    Left              = 2760
    TabIndex          = 35
    Text              = "0.01"
    Top               = 1320
    Width             = 1455
End
Begin VB.CheckBox chk_save_output
    Caption           = "Save output file"
    Height            = 375
    Left              = 4800
    TabIndex          = 34
    Top               = 3000
    Value             = 1 'Checked
    Width             = 2775
End
Begin VB.CheckBox chk_save_control
    Caption           = "Save control file"
    Height            = 375
    Left              = 4800
    TabIndex          = 33
    Top               = 2640
    Value             = 1 'Checked
    Width             = 2775
End
Begin VB.TextBox txt_generations
    Height            = 285
    Left              = 2760
    TabIndex          = 31
    Text              = "20"
    Top               = 6120
    Width             = 1455
End
Begin VB.TextBox txt_succ_crit
    Height            = 285
    Left              = 2760
    TabIndex          = 29
    Text              = "0.3"
    Top               = 5160
    Width             = 1455
End
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-93

```
Begin VB.TextBox txt_corr_crit
    Height      = 285
    Left        = 2760
    TabIndex    = 27
    Text        = "50"
    Top         = 3720
    Width       = 1455
End
Begin VB.TextBox txt_lower_limit
    Height      = 285
    Left        = 2760
    TabIndex    = 24
    Text        = "0.3"
    Top         = 4680
    Width       = 1455
End
Begin VB.TextBox txt_upper_limit
    Height      = 285
    Left        = 2760
    TabIndex    = 23
    Text        = "2"
    Top         = 4200
    Width       = 1455
End
Begin VB.TextBox txt_cov_crit
    Height      = 285
    Left        = 2760
    TabIndex    = 21
    Text        = "1000"
    Top         = 3240
    Width       = 1455
End
Begin VB.Frame Frame1
    Caption     = "NONMEM call"
    Height      = 1095
    Left        = 4440
    TabIndex    = 18
    Top         = 360
    Width       = 2535
    Begin VB.OptionButton opt_dll
        Caption  = "DLL (NT only)"
        Height   = 255
        Left     = 120
        TabIndex = 20
        Top      = 240
        Width    = 1455
    End
    Begin VB.OptionButton opt_exe
        Caption  = "EXE (NT or 9?)"
        Height   = 255
        Left     = 120
        TabIndex = 19
        Top      = 600
        Value     = -1 'True
        Width    = 1935
    End
End
End
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-94

```
Begin VB.TextBox txt_pop_size
    Height      = 285
    Left        = 2760
    TabIndex    = 16
    Text        = "50"
    Top         = 5640
    Width       = 1455
End
Begin VB.OptionButton opt_2runs
    Caption     = "2"
    Height      = 375
    Left        = 6720
    TabIndex    = 14
    Top         = 1920
    Width       = 855
End
Begin VB.OptionButton opt_4runs
    Caption     = "4"
    Height      = 375
    Left        = 6720
    TabIndex    = 13
    Top         = 2280
    Value       = -1 'True
    Width       = 855
End
Begin VB.OptionButton opt_1run
    Caption     = "1"
    Height      = 375
    Left        = 6720
    TabIndex    = 12
    Top         = 1560
    Width       = 855
End
Begin VB.TextBox txt_sigma_crit
    Height      = 285
    Left        = 2760
    TabIndex    = 10
    Text        = "7.84"
    Top         = 2760
    Width       = 1455
End
Begin VB.TextBox txt_theta_crit
    Height      = 285
    Left        = 2760
    TabIndex    = 7
    Text        = "7.84"
    Top         = 1800
    Width       = 1455
End
Begin VB.TextBox txt_omega_crit
    Height      = 285
    Left        = 2760
    TabIndex    = 6
    Text        = "7.84"
    Top         = 2280
    Width       = 1455
End
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-95

```
Begin VB.TextBox txt_cross_over_freq
    Height      = 285
    Left        = 2760
    TabIndex    = 4
    Text        = "0.8"
    Top         = 360
    Width       = 1455
End
Begin VB.TextBox txt_mutation_rate
    Height      = 285
    Left        = 2760
    TabIndex    = 2
    Text        = "0.001"
    Top         = 840
    Width       = 1455
End
Begin VB.CommandButton but_cancel
    Caption     = "Cancel"
    Height      = 495
    Left        = 4680
    TabIndex    = 1
    Top         = 6720
    Width       = 1095
End
Begin VB.CommandButton but_done
    Caption     = "Done"
    Height      = 495
    Left        = 2280
    TabIndex    = 0
    Top         = 6720
    Width       = 1095
End
Begin VB.Label Label8
    Caption     = "Frame Shift Probability"
    Height      = 255
    Left        = 240
    TabIndex    = 36
    Top         = 1320
    Width       = 1695
End
Begin VB.Label Label14
    Caption     = "Generation limit"
    Height      = 255
    Left        = 240
    TabIndex    = 32
    Top         = 6120
    Width       = 1455
End
Begin VB.Label Label13
    Caption     = "Success Criteria"
    Height      = 255
    Left        = 240
    TabIndex    = 30
    Top         = 5160
    Width       = 2055
End
Begin VB.Label Label12
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-96

```
Caption      = "Penalty for corr > 0.95"
Height       = 255
Left         = 240
TabIndex     = 28
Top          = 3720
Width        = 2055
End
Begin VB.Label Label11
Caption      = "Lower limit of scaled fitness"
Height       = 255
Left         = 240
TabIndex     = 26
Top          = 4680
Width        = 2055
End
Begin VB.Label Label10
Caption      = "Upper limit of scaled fitness"
Height       = 255
Left         = 240
TabIndex     = 25
Top          = 4200
Width        = 2295
End
Begin VB.Label Label9
Caption      = "Covariance criteria"
Height       = 255
Left         = 240
TabIndex     = 22
Top          = 3240
Width        = 1335
End
Begin VB.Label Label7
Caption      = "Population size"
Height       = 255
Left         = 240
TabIndex     = 17
Top          = 5640
Width        = 1095
End
Begin VB.Label Label6
Caption      = "Number of threads"
Height       = 255
Left         = 4920
TabIndex     = 15
Top          = 1800
Width        = 1695
End
Begin VB.Label Label5
Caption      = "Sigma criteria"
Height       = 255
Left         = 240
TabIndex     = 11
Top          = 2760
Width        = 1335
End
Begin VB.Label Label4
Caption      = "Omega criteria"
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-97

```
Height          = 255
Left            = 240
TabIndex       = 9
Top            = 2280
Width          = 1335
End
Begin VB.Label Label3
Caption        = "Theta Criteria"
Height        = 255
Left          = 240
TabIndex      = 8
Top           = 1800
Width         = 1695
End
Begin VB.Label Label2
Caption        = "Cross over Frequency"
Height        = 255
Left          = 240
TabIndex      = 5
Top           = 240
Width         = 1695
End
Begin VB.Label Label1
Caption        = "Mutation rate"
Height        = 255
Left          = 240
TabIndex      = 3
Top           = 840
Width         = 975
End
End
Attribute VB_Name = "frm_options"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False

Private Sub but_cancel_Click()
Me.Hide
frm_main.Show
End Sub

Private Sub but_done_Click()
mutation_rate = Me.txt_mutation_rate
cross_over_freq = Me.txt_cross_over_freq
frame_shift_prob = Me.txt_frame_shift_prob
theta_crit = Me.txt_theta_crit
omega_crit = Me.txt_omega_crit
sigma_crit = Me.txt_sigma_crit
cov_crit = Me.txt_cov_crit
success_crit = Me.txt_succ_crit
generation_limit = Me.txt_generations
lower_fitness_limit = Me.txt_lower_limit
upper_fitness_limit = Me.txt_upper_limit
seed_value = Me.txt_rnd_seed.text
If Me.opt_rnd_clock = True Then seed_type = "clock"
If Me.opt_rnd_default = True Then seed_type = "default"
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-98

```
If Me.opt_rnd_user = True Then seed_type = "user"
corr_crit = Me.txt_corr_crit
If opt_dll = True Then call_method = "dll"
If opt_exe = True Then call_method = "exe"
If chk_save_control = 1 Then
save_control = True
Else
save_control = False
End If
If chk_save_best = 1 Then
save_best = True
Else
save_best = False
End If
If chk_save_output = 1 Then
save_output = True
Else
save_output = False
End If
pop_size = Me.txt_pop_size
If pop_size Mod 2 <> 0 Then
MsgBox "Population size must be even number"
Me.txt_pop_size.SelStart = 0
Me.txt_pop_size.SelLength = Len(Me.txt_pop_size)
Me.txt_pop_size.SetFocus
Exit Sub
End If
' need to redimension genome for non diagonal omega
Dim g2dim As Integer
If Me.chk_non_diag_omega = 1 Then
omega_block = True
Else
omega_block = False
End If
Me.Hide
frm_main.Show
End Sub

Private Sub chk_non_diag_omega_Click()
If chk_non_diag_omega = True Then
omega_block = True
Else
omega_block = False
End If
End Sub

Private Sub Form_Load()
set_options
End Sub
Private Sub opt_both_limit_Click()
txt_time.Enabled = True
txt_generations.Enabled = True
End Sub

Private Sub opt_generations_Click()
txt_time.Enabled = False
txt_generations.Enabled = True
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-99

```
End Sub
Private Sub opt_time_Click()
    txt_time.Enabled = True
    txt_generations.Enabled = False
End Sub

Private Sub opt_rnd_clock_Click()
    seed_type = "clock"
    Me.txt_rnd_seed.Enabled = False
End Sub

Private Sub opt_rnd_default_Click()
    seed_type = "default"
    Me.txt_rnd_seed.Enabled = False
End Sub

Private Sub opt_rnd_user_Click()
    seed_type = "user"
    Me.txt_rnd_seed.Enabled = True

End Sub

Private Sub txt_rnd_seed_lostfocus()
    On Error GoTo num_error
    seed_value = Me.txt_rnd_seed

Exit Sub
num_error:
MsgBox ("Please enter a number")
Me.txt_rnd_seed.SetFocus
Me.txt_rnd_seed.SelStart = 0
Me.txt_rnd_seed.SelLength = Len(Me.txt_rnd_seed.text)

On Error Resume Next
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-100

File frm_results.frm

```
VERSION 5.00
Object = "{B02F3647-766B-11CE-AF28-C3A2FBE76A13}#2.5#0"; "SS32X25.OCX"
Begin VB.Form frm_results
    Caption           = "Results"
    ClientHeight      = 8490
    ClientLeft        = 60
    ClientTop         = 345
    ClientWidth       = 13245
    LinkTopic         = "Form1"
    ScaleHeight       = 8490
    ScaleWidth        = 13245
    StartUpPosition   = 3 'Windows Default
    Begin FPSpread.vbSpread spr_result
        Height        = 6255
        Left          = 360
        TabIndex      = 1
        Top           = 480
        Width         = 12480
        _Version      = 131077
        _ExtentX      = 22013
        _ExtentY      = 11033
        _StockProps   = 64
        BeginProperty Font {0BE35203-8F91-11CE-9DE3-00AA004BB851}
            Name       = "MS Sans Serif"
            Size       = 8.25
            Charset    = 0
            Weight     = 700
            Underline  = 0 'False
            Italic     = 0 'False
            Strikethrough = 0 'False
        EndProperty
        MaxCols      = 12
        ScrollBars    = 2
        ScrollBarShowMax = 0 'False
        SpreadDesigner = "frm_results.frx":0000
        UserResize    = 2
        VisibleCols   = 500
        VisibleRows   = 500
    End
    Begin VB.CommandButton but_done
        Caption       = "Done"
        Height        = 615
        Left          = 6120
        TabIndex      = 0
        Top           = 7680
        Width         = 1095
    End
End
Attribute VB_Name = "frm_results"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False
Option Explicit
Private Sub but_done_Click()
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-101

```
Me.Hide  
End Sub  
Private Sub spr_result_Click(ByVal Col As Long, ByVal Row As Long)  
If Col > 4 Then MsgBox "col = " & Col & " row = " & Row  
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-102

File frm_sort_results.frm

VERSION 5.00

Begin VB.Form frm_sort_results

Caption = "Sort Results"
ClientHeight = 3975
ClientLeft = 60
ClientTop = 345
ClientWidth = 6930
LinkTopic = "Form1"
ScaleHeight = 3975
ScaleWidth = 6930
StartPosition = 3 'Windows Default

Begin VB.CommandButton but_cancel

Caption = "Cancel"
Height = 495
Left = 3720
TabIndex = 7
Top = 3240
Width = 1095

End

Begin VB.CommandButton but_Sort

Caption = "Sort"
Height = 495
Left = 1920
TabIndex = 6
Top = 3240
Width = 1095

End

Begin VB.ListBox lst_third_sort

Height = 1230
ItemData = "frm_sort_results.frx":0000
Left = 4800
List = "frm_sort_results.frx":0016
TabIndex = 4
Top = 1320
Width = 1335

End

Begin VB.ListBox lst_second_sort

Height = 1230
ItemData = "frm_sort_results.frx":004E
Left = 2640
List = "frm_sort_results.frx":0064
TabIndex = 2
Top = 1320
Width = 1335

End

Begin VB.ListBox lst_first_sort

Height = 1230
ItemData = "frm_sort_results.frx":009C
Left = 600
List = "frm_sort_results.frx":00B2
TabIndex = 0
Top = 1320
Width = 1335

End

Begin VB.Label Label3

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-103

```

Caption      = "Third Sort Variable"
Height       = 375
Left         = 4800
TabIndex     = 5
Top          = 720
Width        = 1335
End
Begin VB.Label Label2
Caption      = "Second Sort Variable"
Height       = 375
Left         = 2520
TabIndex     = 3
Top          = 720
Width        = 1815
End
Begin VB.Label Label1
Caption      = "First Sort Variable"
Height       = 375
Left         = 480
TabIndex     = 1
Top          = 720
Width        = 1335
End
End
Attribute VB_Name = "frm_sort_results"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False

Private Sub but_cancel_Click()
Me.Hide
Unload Me

End Sub

Private Sub but_Sort_Click()
Dim max_val As Single, max_dig As Integer, fformat As String
max_val = -99999999
Me.Hide
'setup_data
With frm_main.spr_result
' if using columns 1 or 4, format the data
If Me.lst_first_sort.ListIndex = 0 Or Me.lst_second_sort.ListIndex = 0
-
Or Me.lst_third_sort.ListIndex = 0 Then col_format (1)
If Me.lst_first_sort.ListIndex = 3 Or Me.lst_second_sort.ListIndex = 3
-
Or Me.lst_third_sort.ListIndex = 3 Then col_format (4)
If Me.lst_first_sort.ListIndex = 4 Or Me.lst_second_sort.ListIndex = 4
-
Or Me.lst_third_sort.ListIndex = 4 Then col_format (8)
If Me.lst_first_sort.ListIndex = 5 Or Me.lst_second_sort.ListIndex = 5
-
Or Me.lst_third_sort.ListIndex = 5 Then col_format (9)
Dim key1 As Integer, key2 As Integer, key3 As Integer
If Me.lst_first_sort.ListIndex = -1 Then
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-104

```
MsgBox ("Please select one or more sort keys")
Exit Sub
End If
key1 = Me.lst_first_sort.ListIndex + 1
If key1 = 5 Then key1 = 8
If key1 = 6 Then key1 = 9
key2 = Me.lst_second_sort.ListIndex + 1
If key2 = 5 Then key2 = 8
If key2 = 6 Then key2 = 9
key3 = Me.lst_third_sort.ListIndex + 1
If key3 = 5 Then key3 = 8
If key3 = 6 Then key1 = 9

.col = 1
.Col2 = 9
.row = 1
.Row2 = run_number
.SortKey(1) = key1
.SortKeyOrder(1) = 1
If key2 > 0 Then
.SortKey(2) = key2
.SortKeyOrder(2) = 1
End If
If key3 > 0 Then
.SortKey(3) = key3
.SortKeyOrder(3) = 1
End If
' we need to format columns 1 and 4
If key1 = 2 Or key1 = 3 Then .SortKeyOrder(1) = 2
If key2 = 2 Or key2 = 3 Then .SortKeyOrder(2) = 2
If key3 = 2 Or key3 = 3 Then .SortKeyOrder(3) = 2
.SortBy = 0
.Action = 25
If Me.lst_first_sort.ListIndex = 0 Or Me.lst_second_sort.ListIndex = 0
-
Or Me.lst_third_sort.ListIndex = 0 Then col_unformat (1)
If Me.lst_first_sort.ListIndex = 3 Or Me.lst_second_sort.ListIndex = 3
-
Or Me.lst_third_sort.ListIndex = 3 Then col_unformat (4)
If Me.lst_first_sort.ListIndex = 4 Or Me.lst_second_sort.ListIndex = 4
-
Or Me.lst_third_sort.ListIndex = 4 Then col_unformat (8)
If Me.lst_first_sort.ListIndex = 5 Or Me.lst_second_sort.ListIndex = 5
-
Or Me.lst_third_sort.ListIndex = 5 Then col_unformat (9)
End With
Unload Me
End Sub
Sub col_format(coll As Integer)
Dim this_row As Integer, max_val As Single, max_dig As Integer
max_val = -99999999
With frm_main.spr_result
.col = coll
For this_row = 1 To run_number
.row = this_row
If Val(.text) > max_val Then max_val = Val(.text)
Next this_row
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-105

```
If max_val <> 0 Then
max_dig = Log(max_val) / Log(10)
Else
MsgBox ("results cannot be sorted")
Exit Sub
End If
fformat = String(max_dig + 1, "0") & "." & String(8 - max_dig, "#")
' and format all the data
For this_row = 1 To run_number
.row = this_row
.text = Format(Val(.text), fformat)
Next this_row
End With
End Sub
Sub setup_data()
Dim this_row As Integer
With frm_main.spr_result
frm_main.SSTab1.Tab = 2
For this_row = 1 To 40
.row = this_row
.col = 1
.text = (Rnd() * 4) ^ 3
.col = 2
.text = this_row Mod 2
.col = 3
.text = this_row Mod 3
.col = 4
.text = (Rnd() * 4) ^ 3
.col = 8
.text = this_row - (this_row Mod 10)
.col = 9
.text = this_row Mod 10
Next this_row
End With
End Sub
Sub col_unformat(col As Integer)
With frm_main.spr_result
.col = col
For this_row = 1 To run_number
.row = this_row
.text = Val(.text)
Next this_row
End With
End Sub
Sub new_sort()
Dim max_val As Single, max_dig As Integer, fformat As String
max_val = -9999999
Me.Hide
With frm_main.spr_result
For this_row = 1 To 1000
.col = 1
.row = this_row
.text = (Rnd() * 10) ^ 3
If Val(.text) > max_val Then max_val = Val(.text)
.col = 2
.text = this_row Mod 2
Next this_row
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-106

```
max_dig = Log(max_val) / Log(10)
fformat = String(max_dig, "0") & "." & String(10 - max_dig, "#")
' and format all the data
For this_row = 1 To 1000
.col = 1
.row = this_row
.text = Format(Val(.text), fformat)
.col = 2
.text = Format(Val(.text), fformat)
Next this_row
.col = 1
.Col2 = 2
.row = 1
.Row2 = 1000
' read data into array
.SortKey(1) = 2
.SortKey(2) = 1
.SortKeyOrder(1) = 2
.SortKeyOrder(2) = 1
.Action = 25
' and put it back

For this_row = 1 To 1000
.col = 1
.row = this_row
.text = Val(.text)
.col = 2
.text = Val(.text)
Next this_row
End With
Unload Me
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-107

File frm_text.frm

```
VERSION 5.00
Object = "{F9043C88-F6F2-101A-A3C9-08002B2F49FB}#1.1#0"; "Comdlg32.ocx"
Begin VB.Form frm_text
    Caption           = "Form1"
    ClientHeight      = 10830
    ClientLeft        = 300
    ClientTop         = 630
    ClientWidth       = 15075
    LinkTopic         = "Form1"
    ScaleHeight       = 10830
    ScaleWidth        = 15075
    Begin MSComDlg.CommonDialog CommonDialog1
        Left          = 2520
        Top           = 1680
        _ExtentX      = 847
        _ExtentY      = 847
        _Version      = 327680
    End
    Begin VB.TextBox txt_text
        BeginProperty Font
            Name        = "Courier"
            Size        = 9.75
            Charset     = 0
            Weight      = 400
            Underline   = 0   'False
            Italic      = 0   'False
            Strikethrough = 0   'False
        EndProperty
        Height         = 10815
        Left           = 0
        Locked         = -1   'True
        MultiLine      = -1   'True
        ScrollBars     = 3    'Both
        TabIndex       = 0
        Top            = 0
        Width          = 15000
    End
    Begin VB.Menu file
        Caption        = "File"
        Begin VB.Menu copy
            Caption     = "Copy"
        End
        Begin VB.Menu exit
            Caption     = "Exit"
        End
        End
    End
    Begin VB.Menu edit
        Caption        = "Edit"
        Begin VB.Menu font
            Caption     = "Font"
        End
    End
    End
End
Attribute VB_Name = "frm_text"
Attribute VB_GlobalNameSpace = False
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-108

```
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False
Private Sub Command1_Click()
Me.Hide
frm_main.Show
End Sub

Private Sub copy_Click()
Dim copy_string As String
If txt_text.SelStart = 0 Then
MsgBox "No text selected"
Exit Sub
End If
copy_string = Mid(txt_text, txt_text.SelStart, txt_text.SelLength)
Clipboard.SetText copy_string ' Put text on Clipboard.
End Sub

Private Sub exit_Click()
Me.Hide
frm_main.Show
End Sub

Private Sub font_Click()
CommonDialog1.FontBold = txt_text.FontBold
CommonDialog1.FontItalic = txt_text.FontItalic
CommonDialog1.FontName = txt_text.FontName
CommonDialog1.FontSize = txt_text.FontSize
CommonDialog1.CancelError = True
On Error GoTo ErrHandler
' Set the Flags property
CommonDialog1.Flags = cdlCFEffects Or cdlCFBoth
' Display the Font dialog box
CommonDialog1.ShowFont
txt_text.FontName = CommonDialog1.FontName
txt_text.Font.Size = CommonDialog1.FontSize
txt_text.Font.Bold = CommonDialog1.FontBold
txt_text.Font.Italic = CommonDialog1.FontItalic
txt_text.Font.Underline = CommonDialog1.FontUnderline
txt_text.Font.Strikethru = CommonDialog1.FontStrikethru
txt_text.ForeColor = CommonDialog1.Color
Exit Sub
ErrHandler:
' User pressed the Cancel button
Exit Sub

'CommonDialog1.FontBold = txt_text.FontBold
'CommonDialog1.FontItalic = txt_text.FontItalic
'CommonDialog1.FontName = txt_text.FontName
'CommonDialog1.FontSize = txt_text.FontSize
'CommonDialog1.ShowFont
'txt_text.FontName = CommonDialog1.FontName
'txt_text.FontBold = CommonDialog1.FontBold
'txt_text.FontItalic = CommonDialog1.FontItalic
'txt_text.FontSize = CommonDialog1.FontSize
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-109

```
Private Sub Form_Terminate()  
Me.Hide  
frm_main.Show  
End Sub
```

```
Private Sub Form_Unload(Cancel As Integer)  
Me.Hide  
frm_main.Show  
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-110

File frm_test.frm

```
VERSION 5.00
Begin VB.Form frm_test
    Caption           = "test"
    ClientHeight      = 5655
    ClientLeft        = 60
    ClientTop         = 345
    ClientWidth       = 6705
    LinkTopic         = "Form1"
    ScaleHeight       = 5655
    ScaleWidth        = 6705
    StartUpPosition  = 3 'Windows Default
    Begin VB.CommandButton Command1
        Caption       = "done"
        Height        = 255
        Left         = 1680
        TabIndex     = 1
        Top          = 5400
        Width        = 975
    End
    Begin VB.TextBox Text1
        Height        = 4935
        Left         = 480
        MultiLine     = -1 'True
        TabIndex     = 0
        Text         = "frm_test.frx":0000
        Top          = 360
        Width        = 6015
    End
End
Attribute VB_Name = "frm_test"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False
Private Sub Command1_Click()
Me.Hide
'Unload Me
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-111

File frm_tokens.frm

VERSION 5.00

Begin VB.Form frm_tokens

Caption = "Tokens"
ClientHeight = 6360
ClientLeft = 1620
ClientTop = 1890
ClientWidth = 11910
LinkTopic = "Form1"
ScaleHeight = 6360
ScaleWidth = 11910

Begin VB.ListBox lst_token_group

Height = 3375
Left = 9240
TabIndex = 10
Top = 960
Width = 2175

End

Begin VB.CommandButton but_remove_group

Caption = "Remove Token Group"
Height = 495
Left = 10200
TabIndex = 9
Top = 4680
Width = 1575

End

Begin VB.CommandButton but_new_group

Caption = "New Token Group"
Height = 495
Left = 8640
TabIndex = 8
Top = 4680
Width = 1455

End

Begin VB.CommandButton but_new_set

Caption = "New Token set"
Height = 495
Left = 4200
TabIndex = 5
Top = 4680
Width = 1455

End

Begin VB.CommandButton but_remove_set

Caption = "Remove Token set"
Height = 495
Left = 6240
TabIndex = 3
Top = 4680
Width = 1575

End

Begin VB.ListBox lst_token_sets

Height = 3375
Left = 3240
TabIndex = 2
Top = 960
Width = 5295

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-112

```
End
Begin VB.ListBox lst_tokens
    Height      = 3375
    Left        = 360
    TabIndex    = 1
    Top         = 960
    Width       = 2535
End
Begin VB.CommandButton but_done
    Caption     = "Done"
    Height      = 495
    Left        = 4920
    TabIndex    = 0
    Top         = 5760
    Width       = 1695
End
Begin VB.Label Label3
    Caption     = "Token Groups"
    BeginProperty Font
        Name      = "MS Sans Serif"
        Size      = 12
        Charset   = 0
        Weight    = 400
        Underline = 0 'False
        Italic    = 0 'False
        Strikethrough = 0 'False
    EndProperty
    Height      = 375
    Left        = 8400
    TabIndex    = 11
    Top         = 120
    Width       = 1695
End
Begin VB.Label Label2
    Caption     = "Token Sets"
    BeginProperty Font
        Name      = "MS Sans Serif"
        Size      = 12
        Charset   = 0
        Weight    = 400
        Underline = 0 'False
        Italic    = 0 'False
        Strikethrough = 0 'False
    EndProperty
    Height      = 375
    Left        = 4800
    TabIndex    = 7
    Top         = 120
    Width       = 1335
End
Begin VB.Label Label1
    Caption     = "Tokens"
    BeginProperty Font
        Name      = "MS Sans Serif"
        Size      = 12
        Charset   = 0
        Weight    = 400
```


Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-113

```
        Underline      = 0    'False
        Italic         = 0    'False
        Strikethrough   = 0    'False
    EndProperty
    Height      = 375
    Left        = 1080
    TabIndex    = 6
    Top         = 0
    Width       = 1335
End
Begin VB.Label lbl_token_name
    Height      = 375
    Left        = 4560
    TabIndex    = 4
    Top         = 480
    Width       = 1935
End
End
Attribute VB_Name = "frm_tokens"
Attribute VB_GlobalNameSpace = False
Attribute VB_Creatable = False
Attribute VB_PredeclaredId = True
Attribute VB_Exposed = False
Dim curr_group As String
Dim curr_position As Integer ' which token group
Dim curr_token As Integer ' which token
Dim curr_token_set As Integer ' which token set
Private Sub but_done_Click()
Me.Hide
frm_main.Show
End Sub
'
Private Sub but_new_group_Click()
Me.Hide
frm_new_group.txt_n_tokens = ""
frm_new_group.txt_n_tokens = "1"
frm_new_group.Show modal:=1, ownerform:=Me
' n_tokens is set to -999 by cancel
If frm_new_group.txt_n_tokens = "-999" And frm_new_group.txt_stem = "-
999" Then
Exit Sub
End If
n_token_groups = n_token_groups + 1
Dim curr_stem As String
curr_stem = frm_new_group.txt_stem
token_collection(n_token_groups).stem = curr_stem
token_collection(n_token_groups).n_tokens = frm_new_group.txt_n_tokens
lst_token_group.AddItem curr_stem
Me.lbl_token_name = curr_stem
curr_group = curr_stem
curr_position = n_token_groups
lst_token_group.ListIndex = curr_position - 1
' token_collection(curr_position).n_token_sets = 0
token_collection(curr_position).get_token_set lst_token_sets
lst_tokens.clear
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-114

```
Private Sub but_new_set_Click()  
If curr_position > 0 Then  
token_collection(curr_position).add_token_set lst_token_sets  
curr_token_set = lst_token_sets.ListCount  
token_collection(curr_position).get_tokens lst_tokens, curr_token_set  
lst_token_sets.ListIndex = lst_token_sets.ListCount - 1  
End If  
End Sub  
  
Private Sub but_remove_group_Click()  
Dim this_group As Integer  
If lst_token_group.ListIndex > -1 Then  
n_token_groups = n_token_groups - 1  
For this_group = lst_token_group.ListIndex + 1 To n_groups - 1  
Set token_collection(this_group) = token_collection(this_group + 1)  
Next this_group  
Set token_collection(n_groups) = Nothing  
lst_token_group.RemoveItem (lst_token_group.ListIndex)  
token_collection(curr_position).get_token_set lst_token_sets  
If lst_token_group.ListCount > 0 Then  
lst_token_group.ListIndex = 0  
Else  
lst_token_group.ListIndex = -1  
lst_token_sets.clear  
End If  
curr_position = 1  
token_collection(curr_position).get_token_set lst_token_sets  
If lst_token_sets.ListCount > 0 Then  
lst_token_sets.ListIndex = 0  
Else  
lst_token_sets.ListIndex = -1  
lst_tokens.clear  
End If  
End If  
End Sub  
  
Private Sub but_remove_set_Click()  
If lst_token_sets.ListIndex > -1 Then  
token_collection(curr_position).remove_token_set  
(lst_token_sets.ListIndex + 1)  
token_collection(curr_position).get_token_set lst_token_sets  
curr_position = lst_token_group.ListIndex + 1  
token_collection(curr_position).get_token_set lst_token_sets  
If lst_token_sets.ListCount > 0 Then  
lst_token_sets.ListIndex = 0  
Else  
lst_token_sets.ListIndex = -1  
lst_tokens.clear  
End If  
curr_token_set = lst_token_sets.ListIndex + 1  
token_collection(curr_position).get_tokens lst_tokens, curr_token_set  
End If  
End Sub
```

Replacement Sheet
09/878,686
Group Art Unit 2123

FIG. 8A-115

```
Private Sub Form_Load()  
curr_position = 1  
curr_token_set = 1  
curr_token = 1  
End Sub  
  
Private Sub lst_token_group_Click()  
curr_group = lst_token_group.list(lst_token_group.ListIndex)  
curr_position = lst_token_group.ListIndex + 1  
token_collection(curr_position).get_token_set lst_token_sets  
  
curr_token_set = 1  
If lst_token_sets.ListCount > 0 Then  
lst_token_sets.ListIndex = curr_token_set - 1  
End If  
token_collection(curr_position).get_tokens lst_tokens, curr_token_set  
End Sub  
  
Private Sub lst_token_sets_Click()  
curr_token_set = lst_token_sets.ListIndex + 1  
token_collection(curr_position).get_tokens lst_tokens, curr_token_set  
End Sub  
  
Private Sub lst_tokens_dblClick()  
curr_token = lst_tokens.ListIndex + 1  
frm_edit_token.txt_token =  
token_collection(curr_position).get_token_with_lines(curr_token_set,  
curr_token)  
Me.Hide  
  
frm_edit_token.Show modal:=1, ownerform:=Me  
' first change the token in the token set  
token_collection(curr_position).set_token curr_token_set, curr_token,  
frm_edit_token.txt_token  
' update the token list  
token_collection(curr_position).get_tokens lst_tokens, curr_token_set  
' update token set list  
token_collection(curr_position).get_token_set lst_token_sets  
End Sub
```